



2020

Prescription Drug Formulary

Essence Advantage (HMO)

Essence Advantage Select (HMO)

Serving the St. Louis area and
Boone County, Missouri

This formulary was updated on 11/24/2020. For more recent information or other questions, please contact Essence Healthcare, Inc. Customer Service at 1-866-597-9560 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m. You may reach a messaging service on weekends from April 1 through September 30, and holidays. Please leave a message, and your call will be returned the next business day, or visit www.essencehealthcare.com.



Essence Advantage (HMO)

2020 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Essence Healthcare, Inc. When it refers to “plan” or “our plan,” it means Essence Advantage (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of December 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

HPMS Approved Formulary File Submission ID: 20575, Version Number 17

Y0027_20-144_C

What is the Essence Advantage (HMO) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Essence Advantage (HMO) Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Essence Advantage (HMO) Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce

coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of December 2020. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If we make other types of formulary changes than those listed above (non-maintenance changes), we will mail written notification to affected members in the form of Formulary Errata Sheets.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** We require you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.

- **Quantity Limits:** For certain drugs, we limit the amount of the drug that we will cover. For example, we provide eight tablets per prescription for *sumatriptan* . This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, we require you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Essence Advantage formulary?” on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Essence Advantage (HMO) Formulary?

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, we limit the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 30-day transition supply per drug. Examples include beneficiaries who are entering a long-term care facility are discharged from a hospital to home, or are ending a long-term care stay and returning to the community.

For more information

For more detailed information about your Essence Advantage prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Essence Advantage , please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Essence Advantage Formulary

The formulary below provides coverage information about the drugs covered by Essence Advantage . If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if Essence Advantage has any special requirements for coverage of your drug.

List of Abbreviations

CB: Capped benefit. For drugs not normally covered in a Medicare Prescription Drug Plan, we limit the amount of the drug that the plan will cover. For example, we provide six tablets per 30-day prescription for *sildenafil*.

EX: This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

LA: Limited Access. This prescription may be available only at certain pharmacies. For more information consult your Provider Directory or call customer service at 314-209-2700 or toll free 1-866-597-9560, seven days a week from 8 a.m. to 8 p.m. Central Time. You may reach a messaging service on weekends and holidays from April 1 through September 30. Please leave a message, and your call will be returned the next business day. TTY users should call 711.

NDS: Non-Extended Days Supply. This drug can only be obtained for a one-month supply or less. You cannot fill a prescription for more than a one-month supply.

NM: Non-Mail Order. The prescription cannot be filled by a plan network mail order pharmacy.

PA: Prior Authorization. We require you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Essence Advantage before you fill your prescriptions. If you don't get approval, the plan may not cover the drug.

PA BvD: Prior Authorization for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. You (or your physician) are required to get prior authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

PA NSO: Prior Authorization, New Starts Only. If you are a new member or if you have not taken this drug before, you or your physician are required to get prior authorization from Essence Advantage before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

QL: Quantity Limit. For certain drugs, we limit the amount of the drug that the plan will cover. For example, we provide eight tablets per prescription for *sumatriptan succinate*. This may be in addition to a standard one-month or three-month supply.

ST: Step Therapy. In some cases, we require you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the plan will then cover Drug B.

For information regarding copayment amounts and/or coinsurance percentages, refer to Chapter 6, Section 5.2 and Section 5.4 in your Evidence of Coverage.

Essence Healthcare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Essence Healthcare does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

EX: Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	8
Antibacterials.....	9
Anticancer Agents.....	15
Anticholinergic Agents.....	27
Anticonvulsants.....	27
Antidementia Agents.....	30
Antidepressants.....	31
Antidiabetic Agents.....	33
Antifungals.....	37
Antigout Agents.....	39
Antihistamines.....	39
Anti-Infectives (Skin And Mucous Membrane).....	40
Antimigraine Agents.....	40
Antimycobacterials.....	41
Antinausea Agents.....	42
Antiparasite Agents.....	43
Antiparkinsonian Agents.....	44
Antipsychotic Agents.....	45
Antivirals (Systemic).....	49
Blood Products/Modifiers/Volume Expanders.....	54
Caloric Agents.....	57
Cardiovascular Agents.....	60
Central Nervous System Agents.....	69
Contraceptives.....	73
Dental And Oral Agents.....	79
Dermatological Agents.....	79
Devices.....	83
Enzyme Replacement/Modifiers.....	84
Eye, Ear, Nose, Throat Agents.....	85
Gastrointestinal Agents.....	89
Genitourinary Agents.....	92
Heavy Metal Antagonists.....	93
Hormonal Agents, Stimulant/Replacement/Modifying.....	93

Immunological Agents.....	99
Inflammatory Bowel Disease Agents.....	107
Irrigating Solutions.....	108
Metabolic Bone Disease Agents.....	108
Miscellaneous Therapeutic Agents.....	109
Ophthalmic Agents.....	112
Replacement Preparations.....	113
Respiratory Tract Agents.....	114
Skeletal Muscle Relaxants.....	119
Sleep Disorder Agents.....	119
Vasodilating Agents.....	119
Vitamins And Minerals.....	120

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	4	QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	2	GC; QL (5 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	GC; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	GC; QL (180 per 30 days)
MORPHINE INJECTION SYRINGE 10 MG/ML	4	
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	GC
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	GC; QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; QL (300 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	GC; QL (240 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	2	PA; GC
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	GC
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	2	GC
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	2	GC
<i>diflunisal oral tablet 500 mg</i>	2	GC
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg, 500 mg</i>	2	GC
<i>fenoprofen oral tablet 600 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	2	GC
<i>naproxen-esomeprazole oral tablet, ir, delayed rel, biphasic 375-20 mg, 500-20 mg</i>	5	PA; NDS; QL (60 per 30 days)
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NDS; QL (224 per 28 days)
<i>piroxicam oral capsule 10 mg, 20 mg</i>	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<i>tolmetin oral capsule 400 mg</i>	2	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	GC
VOLTAREN TOPICAL GEL 1 %	3	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	2	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)-1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
LUCEMYRA ORAL TABLET 0.18 MG	5	NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alprazolam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	2	GC; QL (90 per 30 days)
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	GC; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i>	2	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	1	GC; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
Antibacterials		
Aminoglycosides		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	2	GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	2	GC
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin 75 mg/5 ml soln 75 mg/5 ml</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml), 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	5	PA BvD; NDS
<i>daptomycin intravenous recon soln 500 mg</i>	5	NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NDS
<i>linezolid oral tablet 600 mg</i>	2	GC
<i>methenamine hippurate oral tablet 1 gram</i>	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i>	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg, 250 mg</i>	2	GC
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefditoren pivoxil oral tablet 200 mg, 400 mg</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i>	2	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i>	2	GC
<i>azithromycin oral packet 1 gram</i>	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	GC
DIFICID ORAL TABLET 200 MG	5	ST; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml, 400 mg/5 ml</i>	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	2	GC
<i>meropenem intravenous recon soln 1 gram</i>	2	GC
<i>meropenem intravenous recon soln 500 mg</i>	2	GC
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin g potassium injection recon soln 20 million unit</i>	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	PA BvD; GC
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	4	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	GC
<i>doxy-100 intravenous recon soln 100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 200 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxylene nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>okebo oral capsule 75 mg</i>	2	GC
<i>soloxide oral tablet, delayed release (drlec) 150 mg</i>	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i>	5	NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i>	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i>	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml, 2 mg/ml</i>	5	NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i>	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i>	2	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 ml</i>	5	NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NDS
<i>docetaxel intravenous solution 20 mg/2 ml (10 mg/ml), 20 mg/ml, 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i>	5	PA NSO; NDS; QL (28 per 28 days)
<i>exemestane oral tablet 25 mg</i>	2	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	2	GC
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	5	NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	GC
<i>gemcitabine intravenous recon soln 2 gram</i>	5	NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLEOSTINE ORAL CAPSULE 100 MG	5	NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG- 10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i>	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	2	GC
<i>imatinib oral tablet 100 mg</i>	2	PA NSO; GC; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i>	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NDS; QL (8 per 28 days)
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml</i>	2	GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NDS
<i>lapatinib oral tablet 250 mg</i>	5	PA NSO; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>letrozole oral tablet 2.5 mg</i>	2	GC
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	GC
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i>	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD; GC
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (14 per 21 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NDS
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG- 30000 UNIT/15ML	5	PA NSO; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG- 20000 UNIT/10ML	5	PA NSO; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	PA BvD; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i>	5	NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	GC
<i>topotecan intravenous recon soln 4 mg</i>	5	NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NDS
<i>toremifene oral tablet 60 mg</i>	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NDS
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NDS
<i>valrubicin intravesical solution 40 mg/ml</i>	5	NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NDS; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	4	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	NDS; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	5	NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i>	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	2	PA NSO; GC; QL (60 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i>	2	GC
<i>ethosuximide oral capsule 250 mg</i>	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i>	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i>	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i>	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i>	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	2	GC; QL (120 per 30 days)
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14)</i>	2	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	2	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	2	GC
<i>levetiracetam oral solution 100 mg/ml</i>	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	2	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i>	2	GC
SABRIL ORAL TABLET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	PA NSO; NDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14)	4	PA NSO
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	PA NSO; NDS
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i>	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral tablets, dose pack 5-10 mg</i>	4	
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	2	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>duloxetine oral capsule, delayed release(drlec)</i> 20 mg, 30 mg, 60 mg	2	GC; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec)</i> 40 mg	2	GC; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	2	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i>	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sertraline oral concentrate 20 mg/ml</i>	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i>	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg</i>	2	GC; QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	GC; QL (90 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	1	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	GC; QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	6	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	6	GC; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	6	GC; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	6	GC; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	6	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	6	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	6	GC; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	GC; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	6	GC; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	6	GC; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	6	GC; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	6	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	6	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	6	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	6	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	6	GC; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	6	GC; QL (13.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	6	GC; QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	GC; QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	2	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5- 500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	2	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
<i>tolazamide oral tablet 250 mg</i>	2	GC; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	GC; QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	2	GC; QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>casposfungin intravenous recon soln 50 mg, 70 mg</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciclopirox topical cream 0.77 %</i>	2	GC
<i>ciclopirox topical gel 0.77 %</i>	2	GC
<i>ciclopirox topical shampoo 1 %</i>	2	GC
<i>ciclopirox topical solution 8 %</i>	2	GC
<i>ciclopirox topical suspension 0.77 %</i>	2	GC
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i>	1	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	GC
<i>econazole topical cream 1 %</i>	2	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i>	2	GC
<i>itraconazole oral solution 10 mg/ml</i>	3	
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC
<i>ketoconazole topical shampoo 2 %</i>	2	GC
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i>	2	GC
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i>	5	NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i>	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	5	NDS
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
<i>colchicine oral capsule 0.6 mg</i>	2	GC; QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	2	GC; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	3	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	GC
<i>clemastine oral tablet 2.68 mg</i>	2	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>cyproheptadine oral tablet 4 mg</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	2	GC
<i>levocetirizine oral tablet 5 mg</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i>	2	GC
<i>metronidazole vaginal gel 0.75 %</i>	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (20 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG	3	PA; QL (8 per 30 days)
REYVOW ORAL TABLET 50 MG	3	PA; QL (4 per 30 days)
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mglactuation</i>	2	GC; QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan nasal spray, non-aerosol 5 mg/lactuation</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i>	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	4	PA; QL (3 per 90 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i>	2	GC
<i>rifampin intravenous recon soln 600 mg</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	2	PA BvD; GC; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	2	PA; GC; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i>	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg</i>	2	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	2	GC; QL (10 per 30 days)
SYNDROS ORAL SOLUTION 5 MG/ML	5	PA; NDS; QL (120 per 30 days)
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NDS
ALINIA ORAL TABLET 500 MG	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	5	NDS
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i>	2	GC
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>paromomycin oral capsule 250 mg</i>	2	GC
<i>pentamidine inhalation recon soln 300 mg</i>	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i>	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>pyrimethamine oral tablet 25 mg</i>	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i>	2	PA; GC; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i>	2	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i>	2	GC
<i>bromocriptine oral tablet 2.5 mg</i>	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa oral tablet 25 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	2	GC
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	5	PA; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	5	PA; NDS; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	5	PA; NDS; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 50 MG	4	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	5	NDS; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	5	ST; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>clozapine oral tablet 100 mg</i>	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	GC; QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i>	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NDS; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i>	2	GC
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NDS
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	5	NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 200-25 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>didanosine oral capsule, delayed release (drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg</i>	5	NDS
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	5	NDS
<i>efavirenz-emtricitabin-tenofof oral tablet 600- 200-300 mg</i>	5	NDS
<i>efavirenz-lamivu-tenofof disop oral tablet 400- 300-300 mg, 600-300-300 mg</i>	5	NDS
<i>emtricitabine oral capsule 200 mg</i>	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	5	NDS
EMTRIVA ORAL CAPSULE 200 MG	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL TABLET 100-25 MG	4	
KALETRA ORAL TABLET 200-50 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i>	2	GC
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	2	GC
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i>	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SYMFI LO ORAL TABLET 400-300-300 MG	5	NDS
SYMFI ORAL TABLET 600-300-300 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIDEX EC ORAL CAPSULE, DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
<i>zidovudine oral capsule 100 mg</i>	2	GC
<i>zidovudine oral syrup 10 mg/ml</i>	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i>	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i>	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	2	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i>	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i>	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	5	PA; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NDS; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i>	5	NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>ribasphere oral capsule 200 mg</i>	2	GC
<i>ribasphere oral tablet 600 mg</i>	5	NDS
<i>ribasphere ribapak oral tablets,dose pack 600 mg (7)- 400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	NDS
<i>ribavirin inhalation recon soln 6 gram</i>	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	2	GC
<i>valganciclovir oral recon soln 50 mg/ml</i>	5	NDS
<i>valganciclovir oral tablet 450 mg</i>	5	NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	2	GC
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	2	GC
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	GC
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)-20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (15 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NDS; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NDS; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NDS; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (360 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG, 50 MG	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (120 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	2	GC
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	2	GC; QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	4	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4	PA BvD
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i>	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	GC
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	2	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	2	GC
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	2	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>	1	GC
EPANED ORAL SOLUTION 1 MG/ML	4	ST
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC
QBRELIS ORAL SOLUTION 1 MG/ML	5	ST; NDS
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 400 mg</i>	2	GC
<i>amiodarone oral tablet 200 mg</i>	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	GC
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	GC
<i>tiadyt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
DEMSEER ORAL CAPSULE 250 MG	5	NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	4	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i>	2	GC
<i>digoxin oral tablet 250 mcg (0.25 mg)</i>	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	2	GC
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
VYND AQEL ORAL CAPSULE 20 MG	5	PA; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg</i>	2	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	2	GC
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	GC
<i>nifedipine oral tablet extended release 30 mg, 90 mg</i>	2	GC
<i>nifedipine oral tablet extended release 60 mg</i>	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	GC
<i>torse mide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg, 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5- 25 mg, 75-50 mg</i>	1	GC
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5- 20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	2	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	GC
<i>cholestyramine light oral powder 4 gram</i>	2	GC
<i>cholestyramine light packet 4 gram</i>	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	2	GC
<i>colesevelam oral tablet 625 mg</i>	2	GC
<i>colestipol oral packet 5 gram</i>	2	GC
<i>colestipol oral tablet 1 gram</i>	2	GC
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i>	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10- 20 mg, 10-40 mg, 10-80 mg</i>	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibric acid (choline) oral capsule, delayed release(drlec) 135 mg, 45 mg</i>	2	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	4	
FLOLIPID ORAL SUSPENSION 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML)	4	ST
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i>	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i>	2	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i>	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	4	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>prevalite oral powder in packet 4 gram</i>	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	4	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	4	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	4	QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	
WELCHOL ORAL TABLET 625 MG	3	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i>	2	GC
CAROSPIR ORAL SUSPENSION 25 MG/5 ML	4	ST
<i>eplerenone oral tablet 25 mg, 50 mg</i>	2	GC
TEKTRUNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i>	2	GC; QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg</i>	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg (14)- 240 mg (46)</i>	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(drlec) 240 mg</i>	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	2	GC
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
<i>metadate er oral tablet extended release 20 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 18 mg (bx rating), 27 mg, 27 mg (bx rating), 54 mg, 54 mg (bx rating)</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg, 36 mg (bx rating)</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate la 30 mg cap 30 mg</i>	2	GC; QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NDS; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
<i>riluzole oral tablet 50 mg</i>	2	GC
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NDS; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	5	PA; NDS
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	5	PA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	5	PA; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NDS
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>alyacen 7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	2	GC
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	GC
<i>cyred oral tablet 0.15-0.03 mg</i>	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	GC
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	GC
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	GC
<i>errin oral tablet 0.35 mg</i>	2	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>heather oral tablet 0.35 mg</i>	2	GC
<i>incassia oral tablet 0.35 mg</i>	2	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	GC
<i>jencycla oral tablet 0.35 mg</i>	1	GC
<i>jolivette oral tablet 0.35 mg</i>	4	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	4	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg</i>	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>levonorg-eth estradiol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	GC
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lyza oral tablet 0.35 mg</i>	2	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	GC
<i>nora-be oral tablet 0.35 mg</i>	4	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1 mg-20 mcg (24)/75 mg (4), 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i>	2	GC
<i>norlyda oral tablet 0.35 mg</i>	2	GC
<i>norlyroc oral tablet 0.35 mg</i>	2	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sharobel oral tablet 0.35 mg</i>	2	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)	4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tulana oral tablet 0.35 mg</i>	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	GC
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	GC
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i>	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	1	GC
<i>oralone dental paste 0.1 %</i>	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	2	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	2	GC
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	GC
<i>acyclovir topical cream 5 %</i>	2	GC; QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	2	GC; QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i>	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcipotriene topical cream 0.005 %</i>	2	GC
<i>calcipotriene topical ointment 0.005 %</i>	2	GC
<i>calcitrene topical ointment 0.005 %</i>	2	GC
<i>calcitriol topical ointment 3 mcg/gram</i>	4	
DENAVIR TOPICAL CREAM 1 %	5	NDS
<i>fluorouracil topical cream 0.5 %</i>	5	NDS
<i>fluorouracil topical cream 5 %</i>	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
TOLAK TOPICAL CREAM 4 %	4	
VALCHLOR TOPICAL GEL 0.016 %	5	NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i>	2	GC
<i>clindamycin phosphate topical solution 1 %</i>	2	GC
<i>clindamycin phosphate topical swab 1 %</i>	2	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %, 1.2 % (1 % base) -5 %</i>	2	GC
<i>ery pads topical swab 2 %</i>	2	GC
<i>erythromycin with ethanol topical gel 2 %</i>	2	GC
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC
<i>erythromycin with ethanol topical swab 2 %</i>	2	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	2	GC
<i>gentamicin topical cream 0.1 %</i>	2	GC
<i>gentamicin topical ointment 0.1 %</i>	2	GC
<i>metronidazole topical cream 0.75 %</i>	2	GC
<i>metronidazole topical gel 0.75 %, 1 %</i>	2	GC
<i>metronidazole topical lotion 0.75 %</i>	2	GC
<i>mupirocin topical ointment 2 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>rosadan topical cream 0.75 %</i>	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i>	2	GC
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	2	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical foam 0.12 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i>	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical foam 0.05 %</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical lotion 0.05 %</i>	2	GC
<i>clobetasol topical ointment 0.05 %</i>	2	GC
<i>clobetasol topical shampoo 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical foam 0.05 %</i>	2	GC
<i>clocortolone pivalate topical cream 0.1 %</i>	4	
<i>cormax scalp solution 0.05 %</i>	2	GC
<i>desonide topical cream 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desonide topical lotion 0.05 %</i>	2	GC
<i>desonide topical ointment 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	2	GC
<i>desoximetasone topical gel 0.05 %</i>	2	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	2	GC
<i>diflorasone topical ointment 0.05 %</i>	2	GC
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	2	GC
<i>fluocinolone topical ointment 0.025 %</i>	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical gel 0.05 %</i>	2	GC
<i>fluocinonide topical ointment 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocort buty 0.1% lipo cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i>	2	GC
<i>prednicarbate topical cream 0.1 %</i>	4	
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.05 %, 0.1 %, 0.5 %</i>	2	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i>	2	GC
<i>adapalene topical gel 0.1 %</i>	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i>	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	2	PA; GC
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	2	PA; GC
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i>	2	GC
<i>permethrin topical cream 5 %</i>	2	GC
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	GC
V-GO 40 DISPOSABLE DEVICE	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
KUVAN ORAL TABLET, SOLUBLE 100 MG	5	NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>miglustat oral capsule 100 mg</i>	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i>	5	PA; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i>	5	NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>alcaïne ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i>	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 0.15 % (205.5 mcg)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	2	GC
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	NDS
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine nasal spray, non-aerosol 0.6 %</i>	2	GC; QL (30.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i>	2	GC
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i>	4	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	GC
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	2	GC
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcglactuation</i>	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	2	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i>	2	GC; QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>	2	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	3	ST; QL (30 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	GC
<i>lansoprazole oral capsule,delayed release(drlec) 15 mg</i>	2	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(drlec) 30 mg</i>	2	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	2	GC
<i>omeprazole oral capsule,delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	2	GC
<i>pantoprazole oral tablet,delayed release (drlec) 20 mg</i>	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (drlec) 40 mg</i>	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet,delayed release (drlec) 20 mg</i>	2	ST; GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	2	GC
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	2	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	2	GC
<i>enulose oral solution 10 gram/15 ml</i>	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	GC
<i>lactulose oral solution 10 gram/15 ml</i>	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i>	2	GC
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
<i>propantheline oral tablet 15 mg</i>	2	GC
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	GC
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
TRULANCE ORAL TABLET 3 MG	4	QL (30 per 30 days)
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg, 500 mg</i>	2	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	GC
<i>gavilyte-n oral recon soln 420 gram</i>	2	GC
<i>peg 3350-electrolytes oral recon soln 240-22.72- 6.72 -5.84 gram</i>	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	GC
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i>	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i>	2	GC
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>flavoxate oral tablet 100 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	GC
<i>trospium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	2	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	2	GC
<i>finasteride oral tablet 5 mg</i>	1	GC
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NDS
<i>tamsulosin oral capsule 0.4 mg</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NDS
THIOLA ORAL TABLET 100 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	5	PA; NDS
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i>	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	PA; GC
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	5	PA; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NDS
<i>penicillamine oral capsule 250 mg</i>	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i>	5	PA; NDS
<i>trientine oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>oxandrolone oral tablet 10 mg</i>	5	NDS
<i>oxandrolone oral tablet 2.5 mg</i>	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i>	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i>	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i>	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	GC
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	GC
<i>mimvey oral tablet 1-0.5 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>yuvafem vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	2	GC
<i>cortisone oral tablet 25 mg</i>	2	GC
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	PA BvD; GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	GC
Pituitary		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin injection solution 4 mcg/ml</i>	2	GC
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	2	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NDS
MYCAPSSA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 20 MG	5	PA; NDS; QL (120 per 30 days)
NOCDURNA (MEN) SUBLINGUAL TABLET, DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET, DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
STIMATE NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	3	
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NDS
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i>	2	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i>	2	PA BvD; GC
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg</i>	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD; GC
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	GC
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i>	5	PA BvD; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TREMFYA SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF- (2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5- 3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOLETTA INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 62 DU/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i>	5	NDS
<i>balsalazide oral capsule 750 mg</i>	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	GC
<i>colocort rectal enema 100 mg/60 ml</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	4	
LIALDA ORAL TABLET, DELAYED RELEASE (DR/EC) 1.2 GRAM	3	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i>	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram, 800 mg</i>	2	GC
<i>mesalamine rectal suppository 1,000 mg</i>	5	NDS
<i>sulfasalazine oral tablet 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i>	2	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	4	
LACTATED RINGERS IRRIGATION SOLUTION	4	
<i>sodium chloride irrigation solution 0.9 %</i>	4	
<i>water for irrigation, sterile irrigation solution</i>	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	GC
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	2	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	5	NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	2	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	GC
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	GC
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	5	PA; NDS; QL (2.34 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i>	2	GC; QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml</i>	3	PA; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amifostine crystalline intravenous recon soln 500 mg</i>	2	GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS
<i>diazoxide oral suspension 50 mg/ml</i>	2	GC
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
<i>guanidine oral tablet 125 mg</i>	4	
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	2	GC
<i>levocarnitine oral tablet 330 mg</i>	2	GC
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	NDS
<i>mesna intravenous solution 100 mg/ml</i>	2	GC
MESNEX ORAL TABLET 400 MG	5	NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NDS
PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG	5	NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	2	GC
<i>pyridostigmine bromide oral tablet 30 mg, 60 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg</i>	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>brimonidine ophthalmic (eye) drops 0.15 %</i>	4	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	2	GC; QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	4	ST; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	4	QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	GC
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	2	GC
K-SOL ORAL LIQUID 20 MEQ/15 ML	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD; GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral tablet extended release 20 meq</i>	4	
<i>potassium chloride oral tablet, er particles/crystals 10 meq, 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	2	PA BvD; GC
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	GC; QL (60 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 160-4.5 MCG/ACTUATION	3	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 80-4.5 MCG/ACTUATION	3	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	GC; QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i>	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	2	GC
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; GC
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD; GC
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC
LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML	3	QL (60 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	3	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	3	QL (2 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i>	2	GC
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg, 4 mg</i>	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	2	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	5	PA; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	5	PA; LA; NDS; QL (60 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	2	PA; GC
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	2	PA; GC; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	2	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab slf, gluten-free (rx) 27 mg iron- 1 mg</i>	3	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	49	AFINITOR DISPERZ.....	15	<i>alyq</i>	119
<i>abacavir-lamivudine</i>	49	<i>afirmelle</i>	73	<i>amabelz</i>	94
<i>abacavir-lamivudine-zidovudine</i>	49	<i>a-hydrocort</i>	95	<i>amantadine hcl</i>	44
ABELCET.....	37	AIMOVIG		AMBISOME.....	37
ABILIFY MAINTENA.....	45	AUTOINJECTOR.....	40	<i>ambrisentan</i>	119
<i>abiraterone</i>	15	AIMOVIG		<i>amethia</i>	73
ABRAXANE.....	15	AUTOINJECTOR (2 PACK).....	40	<i>amethia lo</i>	73
<i>acamprostate</i>	8	AJOVY AUTOINJECTOR....	40	<i>amifostine crystalline</i>	110
<i>acarbose</i>	33	AJOVY SYRINGE.....	40	<i>amiloride</i>	66
<i>acebutolol</i>	63	AKYNZEO		<i>amiloride-hydrochlorothiazide</i> ..	66
<i>acetaminophen-codeine</i>	3	(FOSNETUPITANT).....	42	AMINOSYN 10 %.....	57
<i>acetazolamide</i>	112	AKYNZEO		AMINOSYN 7 % WITH	
<i>acetazolamide sodium</i>	112	(NETUPITANT).....	42	ELECTROLYTES.....	58
<i>acetic acid</i>	86, 108	<i>ala-cort</i>	81	AMINOSYN 8.5 %.....	58
<i>acetic acid-aluminum acetate</i>	86	<i>ala-scalp</i>	81	AMINOSYN 8.5 %-	
<i>acetylcysteine</i>	117	<i>albendazole</i>	43	ELECTROLYTES.....	58
<i>acitretin</i>	79	<i>albuterol sulfate</i>	116	AMINOSYN II 10 %.....	58
ACTEMRA.....	99	<i>alcaine</i>	85	AMINOSYN II 15 %.....	58
ACTEMRA ACTPEN.....	99	<i>alclometasone</i>	81	AMINOSYN II 7 %.....	58
ACTHAR.....	109	ALCOHOL PADS.....	79	AMINOSYN II 8.5 %.....	58
ACTHIB (PF).....	104	ALDURAZYME.....	84	AMINOSYN II 8.5 %-	
ACTIMMUNE.....	109	ALECENSA.....	15	ELECTROLYTES.....	58
<i>acyclovir</i>	54, 79	<i>alendronate</i>	108	AMINOSYN M 3.5 %.....	58
<i>acyclovir sodium</i>	54	<i>alfuzosin</i>	92	AMINOSYN-HBC 7%.....	58
ADACEL(TDAP		ALIMTA.....	15	AMINOSYN-PF 10 %.....	58
ADOLESN/ADULT)(PF)....	104	ALINIA.....	43	AMINOSYN-PF 7 %	
ADAGEN.....	84	ALIQOPA.....	16	(SULFITE-FREE).....	58
ADAKVEO.....	57	<i>aliskiren</i>	69	AMINOSYN-RF 5.2 %.....	58
<i>adapalene</i>	83	<i>allopurinol</i>	39	<i>amiodarone</i>	62
ADCETRIS.....	15	<i>alose tron</i>	107	AMITIZA.....	90
<i>adefovir</i>	54	ALPHAGAN P.....	112	<i>amitriptyline</i>	31
ADEMPAS.....	119	<i>alprazolam</i>	8, 9	<i>amitriptyline-chlordiazepoxide</i> ..	31
<i>adriamycin</i>	15	ALREX.....	87	<i>amlodipine</i>	65
<i>adrucil</i>	15	<i>altavera (28)</i>	73	<i>amlodipine-atorvastatin</i>	67
ADVAIR DISKUS.....	114	ALTRENO.....	83	<i>amlodipine-benazepril</i>	65
ADVAIR HFA.....	114	ALUNBRIG.....	16	<i>amlodipine-olmesartan</i>	66
<i>afeditab cr</i>	65	<i>alyacen 1/35 (28)</i>	73	<i>amlodipine-valsartan</i>	66
AFINITOR.....	15	<i>alyacen 7/7/7 (28)</i>	73	<i>amlodipine-valsartan-hcthiazid</i> ..	66

<i>ammonium lactate</i>	79	<i>atovaquone</i>	43	BD ULTRA-FINE NANO	
<i>amoxapine</i>	31	<i>atovaquone-proguanil</i>	43	PEN NEEDLE.....	83
<i>amoxicil-clarithromy-</i>		ATRIPLA.....	49	BD VEO INSULIN SYR	
<i>lansopraz</i>	89	<i>atropine</i>	27, 85	HALF UNIT.....	83
<i>amoxicillin</i>	13	ATROVENT HFA.....	116	BD VEO INSULIN	
<i>amoxicillin-pot clavulanate</i>	13	AUBAGIO.....	69	SYRINGE UF.....	83
<i>amphotericin b</i>	37	<i>aubra</i>	74	<i>bekyree (28)</i>	74
<i>ampicillin</i>	13	<i>aurovela 1.5/30 (21)</i>	74	BELEODAQ.....	16
<i>ampicillin sodium</i>	13	<i>aurovela 1/20 (21)</i>	74	BELSOMRA.....	119
<i>ampicillin-sulbactam</i>	13	<i>aurovela 24 fe</i>	74	<i>benazepril</i>	61
ANADROL-50.....	93	<i>aurovela fe 1.5/30 (28)</i>	74	<i>benazepril-hydrochlorothiazide</i>	62
<i>anagrelide</i>	57	<i>aurovela fe 1-20 (28)</i>	74	BENDEKA.....	16
<i>anastrozole</i>	16	AUSTEDO.....	69	BENLYSTA.....	110
ANORO ELLIPTA.....	116	AVASTIN.....	16	<i>benztropine</i>	44
APOKYN.....	44	<i>aviane</i>	74	BEPREVE.....	85
<i>apraclonidine</i>	85	AVONEX.....	69, 70	BESPONSA.....	16
<i>aprepitant</i>	42	AVONEX (WITH		<i>betamethasone acet,sod phos</i>	95
<i>apri</i>	73	ALBUMIN).....	69	<i>betamethasone dipropionate</i>	81
APTIOM.....	27	AVSOLA.....	99	<i>betamethasone valerate</i>	81
APTIVUS.....	49	<i>ayuna</i>	74	<i>betamethasone, augmented</i>	81
APTIVUS (WITH VITAMIN		AYVAKIT.....	16	BETASERON.....	70
E).....	49	<i>azacitidine</i>	16	<i>betaxolol</i>	63, 112
<i>aranelle (28)</i>	73	<i>azathioprine</i>	99	<i>bethanechol chloride</i>	92
ARCALYST.....	99	<i>azathioprine sodium</i>	99	BETHKIS.....	9
<i>aripiprazole</i>	45	<i>azelastine</i>	85	BEVYXXA.....	54
ARISTADA.....	45, 46	<i>azithromycin</i>	12	<i>bexarotene</i>	16
ARISTADA INITIO.....	45	AZOPT.....	112	BEXSERO.....	104
<i>armodafinil</i>	119	<i>aztreonam</i>	13	<i>bicalutamide</i>	16
ARNUITY ELLIPTA.....	115	<i>azurette (28)</i>	74	BICILLIN L-A.....	13
<i>arsenic trioxide</i>	16	<i>baciim</i>	10	BIDIL.....	69
<i>ascomp with codeine</i>	3	<i>bacitracin</i>	10, 86	BIKTARVY.....	49
<i>ashlyna</i>	74	<i>bacitracin-polymyxin b</i>	86	<i>bimatoprost</i>	112
<i>aspirin-dipyridamole</i>	57	<i>baclofen</i>	119	<i>bisoprolol fumarate</i>	63
ASSURE ID INSULIN		<i>balsalazide</i>	107	<i>bisoprolol-hydrochlorothiazide</i>	63
SAFETY.....	83	BALVERSA.....	16	BLENREP.....	16
<i>atazanavir</i>	49	<i>balziva (28)</i>	74	<i>bleomycin</i>	16
<i>atenolol</i>	63	BANZEL.....	27	<i>bleph-10</i>	86
<i>atenolol-chlorthalidone</i>	63	BAVENCIO.....	16	BLINCYTO.....	16
<i>atomoxetine</i>	69	BAXDELA.....	14	<i>blisovi 24 fe</i>	74
<i>atorvastatin</i>	67	BCG VACCINE, LIVE (PF).....	104	<i>blisovi fe 1.5/30 (28)</i>	74

<i>blisovi fe 1/20 (28)</i>	74	<i>calcitriol</i>	80, 108	<i>ceftazidime</i>	12
BOOSTRIX TDAP	104	<i>calcium acetate (phosphat bind)</i>	91	<i>ceftriaxone</i>	12
BORTEZOMIB	16	<i>calcium chloride</i>	113	<i>cefuroxime axetil</i>	12
<i>bosentan</i>	119	CALDOLOR	5	<i>cefuroxime sodium</i>	12
BOSULIF	16	CALQUENCE	17	<i>celecoxib</i>	6
BRAFTOVI	16	<i>camila</i>	74	CELONTIN	27
BREO ELLIPTA	115	<i>candesartan</i>	61	<i>cephalexin</i>	12
<i>briellyn</i>	74	<i>candesartan- hydrochlorothiazid</i>	61	CERDELGA	84
BRILINTA	57	CAPASTAT	41	CEREZYME	84
<i>brimonidine</i>	112	CAPLYTA	46	CETYLEV	110
BRIVIACT	27	CAPRELSA	17	<i>cevimeline</i>	79
<i>bromfenac</i>	88	<i>captopril</i>	62	CHANTIX	8
<i>bromocriptine</i>	44	<i>captopril-hydrochlorothiazide</i> ...	62	CHANTIX CONTINUING MONTH BOX	8
BROMSITE	88	CARBAGLU	90	CHANTIX STARTING MONTH BOX	8
BRUKINSA	16	<i>carbamazepine</i>	27	<i>chloramphenicol sod succinate</i> ..	10
<i>budesonide</i>	107, 115	<i>carbidopa</i>	44	<i>chlordiazepoxide hcl</i>	9
<i>bumetanide</i>	66	<i>carbidopa-levodopa</i>	44	<i>chlorhexidine gluconate</i>	79
<i>buprenorphine</i>	3	<i>carbidopa-levodopa-entacapone</i>	44	<i>chloroquine phosphate</i>	43
<i>buprenorphine hcl</i>	3, 8	<i>carbinoxamine maleate</i>	39	<i>chlorothiazide</i>	66
<i>buprenorphine-naloxone</i>	8	<i>carboplatin</i>	17	<i>chlorothiazide sodium</i>	66
<i>bupropion hcl</i>	31	CAROSPIR	69	<i>chlorpromazine</i>	46
<i>bupropion hcl (smoking deter)</i> ...	8	<i>carteolol</i>	112	<i>chlorthalidone</i>	66
<i>buspirone</i>	9	<i>cartia xt</i>	64	<i>chlorzoxazone</i>	119
<i>butalbital compound w/codeine</i> ... 3		<i>carvedilol</i>	63	<i>cholestyramine (with sugar)</i>	67
<i>butalbital-acetaminop-caf-cod</i> ... 3		<i>caspofungin</i>	37	<i>cholestyramine light</i>	67
<i>butalbital-acetaminophen</i>	3	CAYSTON	13	<i>ciclopirox</i>	38
<i>butalbital-acetaminophen-caff</i> ... 3		<i>caziant (28)</i>	74	<i>cidofovir</i>	54
<i>butalbital-aspirin-caffeine</i>	3	<i>cefaclor</i>	11	<i>cilostazol</i>	57
<i>butorphanol</i>	3	<i>cefadroxil</i>	11	CIMDUO	49
BYNFEZIA	96	<i>cefazolin</i>	11	<i>cimetidine</i>	89
BYSTOLIC	63	<i>cefdinir</i>	11	<i>cimetidine hcl</i>	89
BYVALSON	63	<i>cefditoren pivoxil</i>	11	CIMZIA	99
<i>cabergoline</i>	44	<i>cefepime</i>	11	CIMZIA POWDER FOR RECONST	99
CABLIVI	110	<i>cefixime</i>	11	<i>cinacalcet</i>	108
CABOMETYX	16, 17	<i>cefotaxime</i>	12	CINQAIR	117
<i>caffeine citrate</i>	70	<i>cefoxitin</i>	12	CINRYZE	55
<i>calcipotriene</i>	79, 80	<i>cefpodoxime</i>	12	CINVANTI	42
<i>calcitonin (salmon)</i>	108	<i>cefprozil</i>	12		
<i>calcitrene</i>	80				

CIPRODEX.....	86	CLINIMIX E 5%/D15W		COSENTYX (2 SYRINGES).	99
<i>ciprofloxacin</i>	14	SULFIT FREE.....	59	COSENTYX PEN (2 PENS).	100
<i>ciprofloxacin (mixture)</i>	14	CLINIMIX E 5%/D20W		COTELLIC.....	17
<i>ciprofloxacin hcl</i>	14, 86	SULFIT FREE.....	59	CREON.....	84
<i>ciprofloxacin in 5 % dextrose</i>	14	CLINIMIX E 5%/D25W		CRIXIVAN.....	49
<i>ciprofloxacin-dexamethasone</i> ...	86	SULFIT FREE.....	59	<i>cromolyn</i>	85, 90, 118
<i>citalopram</i>	31	CLINOLIPID.....	59	<i>cryselle (28)</i>	74
<i>cladribine</i>	17	<i>clobazam</i>	27	<i>cyclafem 1/35 (28)</i>	74
<i>clarithromycin</i>	12	<i>clobetasol</i>	81	<i>cyclafem 7/7/7 (28)</i>	74
<i>clemastine</i>	39	<i>clobetasol-emollient</i>	81	<i>cyclobenzaprine</i>	119
CLENPIQ.....	91	<i>clocortolone pivalate</i>	81	<i>cyclopentolate</i>	85
<i>clindamycin hcl</i>	10	<i>clofarabine</i>	17	<i>cyclophosphamide</i>	17
<i>clindamycin in 5 % dextrose</i>	10	<i>clomipramine</i>	31	CYCLOPHOSPHAMIDE.....	17
<i>clindamycin palmitate hcl</i>	10	<i>clonazepam</i>	9	<i>cyclosporine</i>	100
<i>clindamycin pediatric</i>	10	<i>clonidine</i>	60	<i>cyclosporine modified</i>	100
<i>clindamycin phosphate</i> ..	10, 40, 80	<i>clonidine hcl</i>	60, 70	<i>cyproheptadine</i>	39
<i>clindamycin-benzoyl peroxide</i> ...	80	<i>clopidogrel</i>	57	CYRAMZA.....	17
CLINIMIX 5%/D15W		<i>clorazepate dipotassium</i>	9	<i>cyred</i>	74
SULFITE FREE.....	58	<i>clotrimazole</i>	38	CYSTADANE.....	110
CLINIMIX 5%/D25W		<i>clotrimazole-betamethasone</i>	38	CYSTADROPS.....	85
SULFITE-FREE.....	58	<i>clovique</i>	93	CYSTARAN.....	85
CLINIMIX 4.25%/D10W		<i>clozapine</i>	46	<i>dalfampridine</i>	70
SULF FREE.....	58	COARTEM.....	43	DALIRESP.....	118
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i>	3	<i>danazol</i>	93
SULFIT FREE.....	58	<i>colchicine</i>	39	<i>dantrolene</i>	119
CLINIMIX 4.25%-D25W		<i>colesevelam</i>	67	<i>dapsone</i>	41
SULF-FREE.....	59	<i>colestipol</i>	67	DAPTACEL (DTAP	
CLINIMIX 5%-		<i>colistin (colistimethate na)</i>	10	PEDIATRIC) (PF).....	104
D20W(SULFITE-FREE).....	59	<i>colocort</i>	107	<i>daptomycin</i>	10
CLINIMIX E 2.75%/D10W		COMBIGAN.....	112	DARZALEX.....	17
SUL FREE.....	59	COMBIVENT RESPIMAT..	116	DARZALEX FASPRO.....	17
CLINIMIX E 2.75%/D5W		COMETRIQ.....	17	<i>dasetta 1/35 (28)</i>	74
SULF FREE.....	59	COMPLERA.....	49	<i>dasetta 7/7/7 (28)</i>	74
CLINIMIX E 4.25%/D10W		<i>compro</i>	42	DAURISMO.....	17
SUL FREE.....	59	<i>constulose</i>	90	<i>daysee</i>	74
CLINIMIX E 4.25%/D25W		COPAXONE.....	70	<i>deblitane</i>	74
SUL FREE.....	59	COPIKTRA.....	17	<i>decadron</i>	95
CLINIMIX E 4.25%/D5W		CORLANOR.....	65	<i>decitabine</i>	17
SULF FREE.....	59	<i>cormax</i>	81	<i>deferasirox</i>	93
		<i>cortisone</i>	95	<i>deferiprone</i>	93

<i>deferoxamine</i>	93	<i>diclofenac sodium</i>	6, 88	<i>doxycycline hyclate</i>	15
DELSTRIGO.....	49	<i>diclofenac-misoprostol</i>	6	<i>doxycycline monohydrate</i>	15
<i>delyla (28)</i>	74	<i>dicloxacillin</i>	13	DRIZALMA SPRINKLE.....	31
<i>demeclocycline</i>	14	<i>dicyclomine</i>	90	<i>dronabinol</i>	42
DEMSER.....	65	<i>didanosine</i>	50	<i>droperidol</i>	110
DENAVIR.....	80	DIFICID.....	12	<i>drospirenone-ethinyl estradiol</i> ...	75
DEPO-PROVERA.....	98	<i>diflorasone</i>	82	DROXIA.....	17
DESCOVY.....	49	<i>diflunisal</i>	6	DUAVEE.....	94
<i>desipramine</i>	31	<i>digitek</i>	65	DUEXIS.....	6
<i>desmopressin</i>	96	<i>digox</i>	65	<i>duloxetine</i>	32
<i>desog-e.estradiolle.estradiol</i>	74	<i>digoxin</i>	65	DUPIXENT PEN.....	100
<i>desogestrel-ethinyl estradiol</i>	75	DIGOXIN.....	65	DUPIXENT SYRINGE.....	100
<i>desonide</i>	81, 82	<i>dihydroergotamine</i>	40	DUREZOL.....	88
<i>desoximetasone</i>	82	<i>diltiazem hcl</i>	64	<i>dutasteride</i>	92
<i>desvenlafaxine succinate</i>	31	<i>dilt-xr</i>	64	<i>dutasteride-tamsulosin</i>	92
<i>dexamethasone</i>	95	<i>dimenhydrinate</i>	42	<i>econazole</i>	38
<i>dexamethasone sodium phos</i> <i>(pf)</i>	95	<i>dimethyl fumarate</i>	70	EDARBI.....	61
<i>dexamethasone sodium</i> <i>phosphate</i>	88, 95	DIPENTUM.....	107	EDARBYCLOR.....	61
DEXILANT.....	89	<i>diphenhydramine hcl</i>	39	EDURANT.....	50
<i>dexmethylphenidate</i>	70	<i>diphenoxylate-atropine</i>	90	<i>efavirenz</i>	50
<i>dextrazoxane hcl</i>	110	<i>dipyridamole</i>	57	<i>efavirenz-emtricitabin-tenofov</i> ..	50
<i>dextroamphetamine</i>	70	<i>disopyramide phosphate</i>	62	<i>efavirenz-lamivu-tenofov disop</i> ..	50
<i>dextroamphetamine-</i> <i>amphetamine</i>	70	<i>disulfiram</i>	8	EGRIFTA.....	96
<i>dextrose 10 % in water (d10w)</i> ..	59	<i>divalproex</i>	27	EGRIFTA SV.....	96
<i>dextrose 25 % in water (d25w)</i> ..	59	<i>docetaxel</i>	17	ELAPRASE.....	84
<i>dextrose 30 % in water (d30w)</i> ..	59	<i>dofetilide</i>	62	ELIGARD.....	18
<i>dextrose 40 % in water (d40w)</i> ..	59	<i>donepezil</i>	30	ELIGARD (3 MONTH).....	17
<i>dextrose 5 % in water (d5w)</i>	59	DOPTELET (10 TAB PACK).....	55	ELIGARD (4 MONTH).....	18
<i>dextrose 50 % in water (d50w)</i> ..	60	DOPTELET (15 TAB PACK).....	55	ELIGARD (6 MONTH).....	18
<i>dextrose 70 % in water (d70w)</i> ..	60	DOPTELET (30 TAB PACK).....	55	<i>elinest</i>	75
DIASTAT.....	27	<i>dorzolamide</i>	112	ELIQUIS.....	55
DIASTAT ACUDIAL.....	27	<i>dorzolamide-timolol</i>	112	ELIQUIS DVT-PE TREAT 30D START.....	54
<i>diazepam</i>	9, 27	<i>dotti</i>	94	ELITEK.....	84
<i>diazepam intensol</i>	9	DOVATO.....	50	<i>elixophyllin</i>	116
<i>diazoxide</i>	110	<i>doxazosin</i>	60	ELLA.....	75
<i>diclofenac epolamine</i>	6	<i>doxepin</i>	31	ELMIRON.....	110
<i>diclofenac potassium</i>	6	<i>doxercalciferol</i>	108	<i>eluryng</i>	75
		<i>doxorubicin</i>	17	EMCYT.....	18
		<i>doxorubicin, peg-liposomal</i>	17	EMEND.....	42
		<i>doxy-100</i>	14		

EMFLAZA.....	95	<i>ergoloid</i>	110	<i>ezetimibe</i>	67
EMGALITY PEN.....	40	ERGOMAR.....	40	<i>ezetimibe-simvastatin</i>	67
EMGALITY SYRINGE.....	40	ERIVEDGE.....	18	FABRAZYME.....	84
<i>emoquette</i>	75	ERLEADA.....	18	<i>falmina (28)</i>	75
EMPLICITI.....	18	<i>erlotinib</i>	18	<i>famciclovir</i>	54
EMSAM.....	32	<i>errin</i>	75	<i>famotidine</i>	89
<i>emtricitabine</i>	50	<i>ertapenem</i>	13	<i>famotidine (pf)</i>	89
<i>emtricitabine-tenofovir (tdf)</i>	50	<i>ery pads</i>	80	<i>famotidine (pf)-nacl (iso-os)</i> ..	89
EMTRIVA.....	50	<i>erythromycin</i>	12, 86	FANAPT.....	46
<i>enalapril maleate</i>	62	<i>erythromycin ethylsuccinate</i>	12	FARYDAK.....	18
<i>enalaprilat</i>	62	<i>erythromycin with ethanol</i>	80	FASENRA.....	118
<i>enalapril-hydrochlorothiazide</i> ...	62	<i>erythromycin-benzoyl peroxide</i> ..	80	FASENRA PEN.....	118
ENBREL.....	100	ESBRIET.....	118	<i>febuxostat</i>	39
ENBREL MINI.....	100	<i>escitalopram oxalate</i>	32	<i>felbamate</i>	28
ENBREL SURECLICK.....	100	<i>esomeprazole sodium</i>	89	<i>felodipine</i>	66
ENDARI.....	110	<i>estarylla</i>	75	FEMRING.....	94
<i>endocet</i>	3	<i>estazolam</i>	9	<i>femynor</i>	75
ENGERIX-B (PF).....	104, 105	<i>estradiol</i>	94	<i>fenofibrate</i>	67
ENGERIX-B PEDIATRIC (PF).....	105	<i>estradiol valerate</i>	94	<i>fenofibrate micronized</i>	67
ENHERTU.....	18	<i>estradiol-norethindrone acet</i>	94	<i>fenofibrate nanocrystallized</i>	67
<i>enoxaparin</i>	55	<i>eszopiclone</i>	119	<i>fenofibric acid</i>	68
<i>enpresse</i>	75	<i>ethambutol</i>	41	<i>fenofibric acid (choline)</i>	68
<i>enskyce</i>	75	<i>ethosuximide</i>	28	<i>fenopropfen</i>	6
ENSPRYNG.....	70	<i>ethynodiol diac-eth estradiol</i>	75	<i>fentanyl</i>	3
<i>entacapone</i>	44	<i>etidronate disodium</i>	108	<i>fentanyl citrate</i>	3
<i>entecavir</i>	54	<i>etodolac</i>	6	FERRIPROX.....	93
ENTRESTO.....	61	<i>etonogestrel-ethinyl estradiol</i>	75	FETZIMA.....	32
<i>enulose</i>	90	ETOPOPHOS.....	18	FIASP FLEXTOUCH U-100	
EPANED.....	62	<i>etoposide</i>	18	INSULIN.....	35
EPCLUSA.....	53	EUCRISA.....	82	FIASP PENFILL U-100	
EPIDIOLEX.....	28	EVENITY.....	108	INSULIN.....	35
<i>epinastine</i>	85	<i>everolimus (antineoplastic)</i>	18	FIASP U-100 INSULIN.....	35
<i>epinephrine</i>	65	<i>everolimus</i>		<i>finasteride</i>	92
<i>epitol</i>	28	(<i>immunosuppressive</i>).....	100	FINTEPLA.....	28
EPIVIR HBV.....	50	EVOTAZ.....	50	FIRVANQ.....	10
<i>eplerenone</i>	69	EVRYSDI.....	110	<i>flavoxate</i>	92
EPOGEN.....	55, 56	<i>exemestane</i>	18	FLEBOGAMMA DIF.....	100
<i>epoprostenol (glycine)</i>	119	EXONDYS-51.....	110	<i>flecainide</i>	62
<i>eprosartan</i>	61	EXTAVIA.....	70	FLOLIPID.....	68
		EZALLOR SPRINKLE.....	67	FLOVENT DISKUS.....	115

FLOVENT HFA.....	115	<i>fyavolv</i>	94	GLEOSTINE.....	18, 19
<i>floxuridine</i>	18	FYCOMPA.....	28	<i>glimepiride</i>	37
<i>fluconazole</i>	38	<i>gabapentin</i>	28	<i>glipizide</i>	37
<i>fluconazole in nacl (iso-osm)</i> ...	38	GALAFOLD.....	84	<i>glipizide-metformin</i>	37
<i>flucytosine</i>	38	<i>galantamine</i>	30	GLUCAGEN HYPOKIT.....	110
<i>fludrocortisone</i>	95	GAMASTAN.....	100	<i>glyburide</i>	37
<i>flumazenil</i>	70	GAMMAGARD LIQUID...	100	<i>glyburide micronized</i>	37
<i>flunisolide</i>	88	GAMMAGARD S-D (IGA <	100	<i>glyburide-metformin</i>	37
<i>fluocinolone</i>	82	1 MCG/ML).....	100	<i>glycopyrrolate</i>	90
<i>fluocinolone acetonide oil</i>	88	GAMMAPLEX.....	100	<i>glydo</i>	7
<i>fluocinonide</i>	82	GAMMAPLEX (WITH		GLYXAMBI.....	33
<i>fluocinonide-e</i>	82	SORBITOL).....	100	GOCOVRI.....	44
<i>fluorometholone</i>	88	GAMUNEX-C.....	101	GRALISE.....	28
<i>fluorouracil</i>	18, 80	<i>ganciclovir sodium</i>	54	GRALISE 30-DAY	
<i>fluoxetine</i>	32	GARDASIL 9 (PF).....	105	STARTER PACK.....	28
<i>fluphenazine decanoate</i>	46	<i>gatifloxacin</i>	86	<i>granisetron (pf)</i>	42
<i>fluphenazine hcl</i>	46	GATTEX 30-VIAL.....	90	<i>granisetron hcl</i>	42
<i>flurazepam</i>	9	GAUZE PAD.....	83	GRANIX.....	56
<i>flurbiprofen</i>	6	<i>gavilyte-c</i>	91	<i>griseofulvin microsize</i>	38
<i>flurbiprofen sodium</i>	88	<i>gavilyte-g</i>	91	<i>griseofulvin ultramicrosize</i>	38
<i>flutamide</i>	18	<i>gavilyte-n</i>	91	<i>guanfacine</i>	60, 71
<i>fluticasone propionate</i>	82, 88	GAVRETO.....	18	<i>guanidine</i>	110
<i>fluticasone propion-salmeterol</i>	115	GAZYVA.....	18	GVOKE HYPOPEN 1-	
<i>fluvastatin</i>	68	<i>gemcitabine</i>	18	PACK.....	110
<i>fluvoxamine</i>	32	<i>gemfibrozil</i>	68	GVOKE HYPOPEN 2-	
<i>fomepizole</i>	110	<i>generlac</i>	90	PACK.....	110
<i>fondaparinux</i>	55	<i>gengraf</i>	101	GVOKE PFS 1-PACK	
FORTEO.....	108	GENOTROPIN.....	96	SYRINGE.....	110
<i>fosamprenavir</i>	50	GENOTROPIN		GVOKE PFS 2-PACK	
<i>fosaprepitant</i>	42	MINIQUICK.....	96	SYRINGE.....	111
<i>foscarnet</i>	52	<i>gentak</i>	86	HAEGARDA.....	56
<i>fosinopril</i>	62	<i>gentamicin</i>	10, 80, 86	<i>hailey</i>	75
<i>fosinopril-hydrochlorothiazide</i> ..	62	<i>gentamicin sulfate (ped) (pf)</i> ...	10	<i>hailey 24 fe</i>	75
<i>fosphenytoin</i>	28	<i>gentamicin sulfate (pf)</i>	10	<i>hailey fe 1.5/30 (28)</i>	75
FREAMINE HBC 6.9 %.....	60	GENVOYA.....	50	<i>hailey fe 1/20 (28)</i>	75
FREAMINE III 10 %.....	60	GILENYA.....	71	<i>halobetasol propionate</i>	82
FULPHILA.....	56	GILOTRIF.....	18	<i>haloperidol</i>	47
<i>fulvestrant</i>	18	GIVLAARI.....	57	<i>haloperidol decanoate</i>	46
<i>furosemide</i>	66	<i>glatiramer</i>	71	<i>haloperidol lactate</i>	46
FUZEON.....	50	<i>glatopa</i>	71	HARVONI.....	53

HAVRIX (PF).....	105	<i>hydrocortisone-acetic acid</i>	86	INCRUSE ELLIPTA.....	116
<i>heather</i>	75	<i>hydromorphone</i>	4	<i>indapamide</i>	66
HEMADY.....	95	<i>hydromorphone (pf)</i>	4	<i>indomethacin</i>	6
<i>heparin (porcine)</i>	55	<i>hydroxychloroquine</i>	43	INFANRIX (DTAP) (PF)....	105
<i>heparin, porcine (pf)</i>	55	<i>hydroxyprogesterone</i>		INFLECTRA.....	102
HEPATAMINE 8%.....	60	<i>cap(ppres)</i>	98	INFUGEM.....	19
HERCEPTIN.....	19	<i>hydroxyurea</i>	19	INGREZZA.....	71
HERCEPTIN HYLECTA.....	19	<i>hydroxyzine hcl</i>	39	INGREZZA INITIATION	
HERZUMA.....	19	<i>hydroxyzine pamoate</i>	111	PACK.....	71
HETLIOZ.....	119	HYPERRAB (PF).....	101	INLYTA.....	20
HIBERIX (PF).....	105	HYPERRAB S/D (PF).....	101	INQOVI.....	20
HUMATROPE.....	96	HYQVIA.....	102	INREBIC.....	20
HUMIRA.....	101	<i>ibandronate</i>	108	<i>insulin asp prt-insulin aspart</i>	35
HUMIRA PEDIATRIC		IBRANCE.....	19	<i>insulin aspart u-100</i>	35
CROHNS START.....	101	<i>ibu</i>	6	INSULIN SYRINGE-	
HUMIRA PEN.....	101	<i>ibuprofen</i>	6	NEEDLE U-100.....	83
HUMIRA PEN CROHNS-		<i>icatibant</i>	65	INTELENCE.....	50
UC-HS START.....	101	ICLUSIG.....	19	INTRALIPID.....	60
HUMIRA PEN PSOR-		IDHIFA.....	19	INTRON A.....	53
UVEITS-ADOL HS.....	101	<i>ifosfamide</i>	19	<i>introvale</i>	75
HUMIRA(CF).....	101	<i>ifosfamide-mesna</i>	19	INVEGA SUSTENNA.....	47
HUMIRA(CF) PEDI		ILARIS (PF).....	102	INVEGA TRINZA.....	47
CROHNS STARTER.....	101	ILEVRO.....	88	INVELTYS.....	88
HUMIRA(CF) PEN.....	101	ILUMYA.....	102	INVIRASE.....	50
HUMIRA(CF) PEN		<i>imatinib</i>	19	INVOKAMET.....	33
CROHNS-UC-HS.....	101	IMBRUVICA.....	19	INVOKAMET XR.....	33
HUMIRA(CF) PEN PSOR-		IMFINZI.....	19	INVOKANA.....	33
UV-ADOL HS.....	101	<i>imipenem-cilastatin</i>	13	IONOSOL-B IN D5W.....	113
HUMULIN R U-500		<i>imipramine hcl</i>	32	IONOSOL-MB IN D5W.....	113
(CONC) INSULIN.....	35	<i>imipramine pamoate</i>	32	IPOL.....	105
HUMULIN R U-500		<i>imiquimod</i>	80	<i>ipratropium bromide</i>	85, 116
(CONC) KWIKPEN.....	35	IMLYGIC.....	19	<i>irbesartan</i>	61
<i>hydralazine</i>	65	IMOGAM RABIES-HT (PF)		<i>irbesartan-hydrochlorothiazide</i> . 61	
<i>hydrochlorothiazide</i>	66	102	IRESSA.....	20
<i>hydrocodone-acetaminophen</i> ...3, 4		IMOVAX RABIES		<i>irinotecan</i>	20
<i>hydrocodone-ibuprofen</i>	4	VACCINE (PF).....	105	ISENTRESS.....	50
<i>hydrocortisone</i>	82, 95, 107	IMPAVIDO.....	43	ISENTRESS HD.....	50
<i>hydrocortisone butyrate</i>	82	INBRIJA.....	44	<i>isibloom</i>	75
<i>hydrocortisone butyr-emollient</i> . 82		<i>incassia</i>	75	ISOLYTE-P IN 5 %	
<i>hydrocortisone valerate</i>	82	INCRELEX.....	97	DEXTROSE.....	113

ISOLYTE-S.....	113	KEDRAB (PF).....	102	LANTUS U-100 INSULIN....	36
<i>isoniazid</i>	41	<i>kelnor 1/35 (28)</i>	76	<i>lapatinib</i>	20
<i>isosorbide dinitrate</i>	69	<i>kelnor 1-50</i>	76	<i>larin 1.5/30 (21)</i>	76
<i>isosorbide mononitrate</i>	69	KESIMPTA PEN.....	71	<i>larin 1/20 (21)</i>	76
<i>isradipine</i>	66	<i>ketoconazole</i>	38	<i>larin 24 fe</i>	76
<i>itraconazole</i>	38	<i>ketoprofen</i>	6	<i>larin fe 1.5/30 (28)</i>	76
<i>ivermectin</i>	43	<i>ketorolac</i>	6, 88	<i>larin fe 1/20 (28)</i>	76
IXEMPRA.....	20	KEVEYIS.....	111	<i>larissia</i>	76
IXIARO (PF).....	105	KEVZARA.....	102	<i>latanoprost</i>	112
JADENU SPRINKLE.....	93	KEYTRUDA.....	20	LATUDA.....	47
<i>jaimiess</i>	75	KINERET.....	102	LAZANDA.....	4
JAKAFI.....	20	KINRIX (PF).....	105	<i>ledipasvir-sofosbuvir</i>	53
<i>jantoven</i>	55	<i>kionex (with sorbitol)</i>	90	<i>leena 28</i>	76
JANUMET.....	34	KISQALI.....	20	<i>leflunomide</i>	102
JANUMET XR.....	34	KISQALI FEMARA CO- PACK.....	20	LEMTRADA.....	71
JANUVIA.....	34	<i>klor-con m10</i>	113	LENVIMA.....	20
JARDIANCE.....	34	<i>klor-con m15</i>	113	<i>lessina</i>	76
<i>jasmiel (28)</i>	75	<i>klor-con m20</i>	113	<i>letrozole</i>	21
<i>jencycla</i>	75	<i>klor-con sprinkle</i>	113	<i>leucovorin calcium</i>	111
JENTADUETO.....	34	KORLYM.....	34	LEUKERAN.....	21
JENTADUETO XR.....	34	KOSELUGO.....	20	LEUKINE.....	56
<i>jinteli</i>	94	KRINTAFEL.....	43	<i>leuprolide</i>	21
<i>jolivette</i>	75	KRYSTEXXA.....	84	<i>levetiracetam</i>	28, 29
<i>juleber</i>	75	K-SOL.....	113	<i>levobunolol</i>	112
JULUCA.....	50	<i>kurvelo (28)</i>	76	<i>levocarnitine</i>	111
<i>junel 1.5/30 (21)</i>	75	KUVAN.....	84	<i>levocarnitine (with sugar)</i>	111
<i>junel 1/20 (21)</i>	75	KYNMOBI.....	44	<i>levocetirizine</i>	39
<i>junel fe 1.5/30 (28)</i>	75	KYPROLIS.....	20	<i>levofloxacin</i>	14, 86
<i>junel fe 1/20 (28)</i>	76	<i>l norgestle.estradiol-e.estrad</i>	76	<i>levofloxacin in d5w</i>	14
<i>junel fe 24</i>	76	<i>labetalol</i>	63	LEVOLEUCOVORIN CALCIUM.....	111
JUXTAPID.....	68	LACTATED RINGERS.....	108	<i>levoleucovorin calcium</i>	111
JYNARQUE.....	66, 67	<i>lactulose</i>	90	<i>levonest (28)</i>	76
KABIVEN.....	60	<i>lamivudine</i>	50	<i>levonorgestrel-ethinyl estrad</i>	76
KALETRA.....	50	<i>lamivudine-zidovudine</i>	50	<i>levonorg-eth estrad triphasic</i>	76
<i>kalliga</i>	76	<i>lamotrigine</i>	28	<i>levora-28</i>	76
KALYDECO.....	118	<i>lansoprazole</i>	89	<i>levothyroxine</i>	99
KANJINTI.....	20	<i>lanthanum</i>	91	LEXIVA.....	50
KANUMA.....	84	LANTUS SOLOSTAR U-100 INSULIN.....	35	LIALDA.....	107
<i>kariva (28)</i>	76			LIBTAYO.....	21
KATERZIA.....	66				

<i>lidocaine</i>	7	LUCEMYRA.....	8	MAVENCLAD (9 TABLET	
<i>lidocaine (pf)</i>	7, 62	LUMIGAN.....	112	PACK).....	71
<i>lidocaine hcl</i>	7	LUMOXITI.....	21	MAVYRET.....	53
<i>lidocaine viscous</i>	7	LUPRON DEPOT.....	21, 97	MAYZENT.....	71
<i>lidocaine-prilocaine</i>	7	LUPRON DEPOT (3		<i>meclizine</i>	42
<i>lillow (28)</i>	76	MONTH).....	21, 97	<i>medroxyprogesterone</i>	99
<i>linezolid</i>	11	LUPRON DEPOT (4		<i>mefenamic acid</i>	7
<i>linezolid in dextrose 5%</i>	10	MONTH).....	21	<i>mefloquine</i>	43
<i>linezolid-0.9% sodium chloride</i> ..	10	LUPRON DEPOT (6		<i>megestrol</i>	21, 99
LINZESS.....	90	MONTH).....	21	MEKINIST.....	21
<i>liothyronine</i>	99	LUPRON DEPOT-PED.....	97	MEKTOVI.....	21
<i>lisinopril</i>	62	LUPRON DEPOT-PED (3		<i>meloxicam</i>	7
<i>lisinopril-hydrochlorothiazide</i> ...	62	MONTH).....	97	<i>melphalan hcl</i>	21
<i>lithium carbonate</i>	71	<i>lutea (28)</i>	76	<i>memantine</i>	30, 31
<i>lithium citrate</i>	71	LYNPARZA.....	21	MENACTRA (PF).....	105
LIVALO.....	68	LYSODREN.....	21	MENQUADFI (PF).....	105
<i>lojaimiess</i>	76	<i>lyza</i>	77	MENVEO A-C-Y-W-135-	
LOKELMA.....	90	<i>magnesium sulfate</i>	113	DIP (PF).....	105
LONHALA MAGNAIR		<i>magnesium sulfate in d5w</i>	113	MEPSEVII.....	84
REFILL.....	116	<i>magnesium sulfate in water</i>	113	<i>mercaptopurine</i>	21
LONHALA MAGNAIR		<i>malathion</i>	83	<i>meropenem</i>	13
STARTER.....	116	<i>maprotiline</i>	32	<i>meropenem-0.9% sodium</i>	
LONSURF.....	21	<i>marlissa (28)</i>	77	<i>chloride</i>	13
<i>loperamide</i>	90	MARPLAN.....	32	<i>mesalamine</i>	107
<i>lopinavir-ritonavir</i>	51	MARQIBO.....	21	<i>mesna</i>	111
<i>lorazepam</i>	9	MATULANE.....	21	MESNEX.....	111
LORBRENA.....	21	<i>matzim la</i>	64	MESTINON.....	111
<i>lorcet (hydrocodone)</i>	4	MAVENCLAD (10 TABLET		<i>metadate er</i>	71
<i>lorcet hd</i>	4	PACK).....	71	<i>metaproterenol</i>	117
<i>lorcet plus</i>	4	MAVENCLAD (4 TABLET		<i>metformin</i>	34
<i>loryna (28)</i>	76	PACK).....	71	<i>methadone</i>	4
<i>losartan</i>	61	MAVENCLAD (5 TABLET		<i>methadose</i>	4
<i>losartan-hydrochlorothiazide</i>	61	PACK).....	71	<i>methazolamide</i>	112
LOTEMAX.....	88	MAVENCLAD (6 TABLET		<i>methenamine hippurate</i>	11
LOTEMAX SM.....	88	PACK).....	71	<i>methimazole</i>	99
<i>loteprednol etabonate</i>	88	MAVENCLAD (7 TABLET		<i>methocarbamol</i>	119
<i>lovastatin</i>	68	PACK).....	71	<i>methotrexate sodium</i>	21
<i>low-ogestrel (28)</i>	76	MAVENCLAD (8 TABLET		<i>methotrexate sodium (pf)</i>	21
<i>loxapine succinate</i>	47	PACK).....	71	<i>methoxsalen</i>	80
<i>lo-zumandimine (28)</i>	76			<i>methscopolamine</i>	90

<i>methyclothiazide</i>	67	<i>mononessa (28)</i>	77	<i>neomycin-polymyxin b gu</i>	81
<i>methylphenidate hcl</i>	72	<i>montelukast</i>	116	<i>neomycin-polymyxin b-</i>	
<i>methylprednisolone</i>	95	MORPHINE.....	4	<i>dexameth</i>	87
<i>methylprednisolone acetate</i>	95	<i>morphine</i>	4	<i>neomycin-polymyxin-</i>	
<i>methylprednisolone sodium</i>		<i>morphine concentrate</i>	4	<i>gramicidin</i>	87
<i>succ</i>	95	MOVANTIK.....	90	<i>neomycin-polymyxin-hc</i>	87
<i>metipranolol</i>	112	MOXEZA.....	86	<i>neo-polycin</i>	87
<i>metoclopramide hcl</i>	90	<i>moxifloxacin</i>	14, 86	<i>neo-polycin hc</i>	87
<i>metolazone</i>	67	MOZOBIL.....	56	NEPHRAMINE 5.4 %.....	60
<i>metoprolol succinate</i>	63	MULPLETA.....	56	NERLYNX.....	22
<i>metoprolol ta-hydrochlorothiaz</i>	63	MULTAQ.....	62	NEULASTA.....	56
<i>metoprolol tartrate</i>	63	<i>mupirocin</i>	80	NEUPOGEN.....	56
<i>metronidazole</i>	11, 40, 80	MYCAPSSA.....	97	NEUPRO.....	44
<i>metronidazole in nacl (iso-os)</i> ..	11	<i>mycophenolate mofetil</i>	102	<i>nevirapine</i>	51
<i>metyrosine</i>	65	<i>mycophenolate mofetil (hcl)</i> ..	102	NEXAVAR.....	22
<i>mexiletine</i>	62	MYLOTARG.....	22	NEXLETOL.....	68
MIACALCIN.....	108	MYRBETRIQ.....	92	NEXLIZET.....	68
<i>miconazole-3</i>	38	<i>myzitra</i>	77	<i>niacin</i>	68
<i>microgestin fe 1/20 (28)</i>	77	<i>nabumetone</i>	7	<i>niacor</i>	68
<i>midazolam</i>	9	<i>nadolol</i>	63	<i>nicardipine</i>	66
<i>midodrine</i>	61	<i>nafcillin</i>	13	NICOTROL.....	8
<i>miglitol</i>	34	<i>nafcillin in dextrose iso-osm</i>	13	<i>nifedipine</i>	66
<i>miglustat</i>	84	NAGLAZYME.....	84	<i>nikki (28)</i>	77
<i>mili</i>	77	<i>naloxone</i>	8	<i>nilutamide</i>	22
<i>mimvey</i>	94	<i>naltrexone</i>	8	NINLARO.....	22
<i>mimvey lo</i>	94	NAMZARIC.....	31	<i>nitisinone</i>	84
<i>minitran</i>	69	<i>naproxen</i>	7	<i>nitrofurantoin macrocrystal</i>	11
<i>minocycline</i>	15	<i>naproxen-esomeprazole</i>	7	<i>nitrofurantoin monohydlm-</i>	
<i>minoxidil</i>	69	<i>naratriptan</i>	40	<i>cryst</i>	11
<i>mirtazapine</i>	32	NARCAN.....	8	<i>nitroglycerin</i>	69
<i>misoprostol</i>	89	NATACYN.....	86	NITYR.....	84
MITIGARE.....	39	<i>nateglinide</i>	34	NIVESTYM.....	56
<i>mitoxantrone</i>	21	NATPARA.....	109	<i>nizatidine</i>	89
M-M-R II (PF).....	105	NAYZILAM.....	29	NOCDURNA (MEN).....	97
<i>moexipril</i>	62	<i>necon 0.5/35 (28)</i>	77	NOCDURNA (WOMEN).....	97
<i>molindone</i>	47	<i>nefazodone</i>	32	<i>nora-be</i>	77
<i>mometasone</i>	82, 88	<i>neomycin</i>	10	NORDITROPIN FLEXPPO.....	97
<i>mondoxyne nl</i>	15	<i>neomycin-bacitracin-poly-hc</i>	86	<i>norethindrone (contraceptive)</i> ..	77
MONJUVI.....	21	<i>neomycin-bacitracin-</i>		<i>norethindrone acetate</i>	99
<i>mono-linyah</i>	77	<i>polymyxin</i>	86		

<i>norethindrone ac-eth estradiol</i>	NUCYNTA.....	4	ONGENTYS.....	44
.....	NUCYNTA ER.....	4	ONIVYDE.....	22
<i>norethindrone-e.estradiol-iron</i> ...77	NUEDEXTA.....	72	ONTRUZANT.....	22
<i>norgestimate-ethinyl estradiol</i> ...77	NULOJIX.....	102	ONUREG.....	22
<i>norlyda</i>	NUPLAZID.....	47	OPDIVO.....	22
<i>norlyroc</i>	NURTEC ODT.....	40	OPSUMIT.....	119
NORMOSOL-M IN 5 %	NUTRILIPID.....	60	<i>oralone</i>	79
DEXTROSE.....	NUTROPIN AQ NUSPIN.....	97	ORENCIA.....	102
NORMOSOL-R PH 7.4.....	<i>nyamyc</i>	38	ORENCIA (WITH	
NORTHERA.....	<i>nystatin</i>	38, 39	MALTOSE).....	102
<i>nortrel 0.5/35 (28)</i>	<i>nystatin-triamcinolone</i>	39	ORENCIA CLICKJECT.....	102
<i>nortrel 1/35 (21)</i>	<i>nystop</i>	39	ORENITRAM.....	119, 120
<i>nortrel 1/35 (28)</i>	OCALIVA.....	90	ORFADIN.....	84
<i>nortrel 7/7/7 (28)</i>	OCREVUS.....	72	ORLISSA.....	97
<i>nortriptyline</i>	OCTAGAM.....	102	ORKAMBI.....	118
NORVIR.....	<i>octreotide acetate</i>	97	<i>orsythia</i>	77
NOVOLIN 70/30 U-100	ODEFSEY.....	51	<i>oseltamivir</i>	52
INSULIN.....	ODOMZO.....	22	OSMOLEX ER.....	45
NOVOLIN 70-30 FLEXPEN	OFEV.....	118	OTEZLA.....	103
U-100.....	<i>ofloxacin</i>	87	OTEZLA STARTER.....	103
NOVOLIN N FLEXPEN.....	<i>ogestrel (28)</i>	77	<i>oxaliplatin</i>	22
NOVOLIN N NPH U-100	OGIVRI.....	22	<i>oxandrolone</i>	93
INSULIN.....	<i>okebo</i>	15	<i>oxazepam</i>	9
NOVOLIN R FLEXPEN.....	<i>olanzapine</i>	47	<i>oxcarbazepine</i>	29
NOVOLIN R REGULAR U-	<i>olmesartan</i>	61	OXTELLAR XR.....	29
100 INSULN.....	<i>olmesartan-amlodipin-</i>		<i>oxybutynin chloride</i>	92
NOVOLOG FLEXPEN U-	<i>hcthiazid</i>	61	<i>oxycodone</i>	4, 5
100 INSULIN.....	<i>olmesartan-</i>		<i>oxycodone-acetaminophen</i>	5
NOVOLOG MIX 70-30 U-	<i>hydrochlorothiazide</i>	61	<i>oxycodone-aspirin</i>	5
100 INSULN.....	<i>olopatadine</i>	85, 86	OXYCONTIN.....	5
NOVOLOG MIX 70-	OLUMIANT.....	102	<i>oxymorphone</i>	5
30FLEXPEN U-100.....	<i>omega-3 acid ethyl esters</i>	68	OZEMPIC.....	34
NOVOLOG PENFILL U-100	<i>omeprazole</i>	89	<i>pacerone</i>	63
INSULIN.....	<i>omeprazole-sodium</i>		<i>paclitaxel</i>	22
NOVOLOG U-100 INSULIN	<i>bicarbonate</i>	89	PADCEV.....	22
ASPART.....	OMNITROPE.....	97	<i>paliperidone</i>	47
NOXAFIL.....	ONCASPAR.....	22	PALYNZIQ.....	84
NPLATE.....	<i>ondansetron</i>	42	<i>pamidronate</i>	109
NUBEQA.....	<i>ondansetron hcl</i>	42	PANRETIN.....	80
NUCALA.....	<i>ondansetron hcl (pf)</i>	42	<i>pantoprazole</i>	89

<i>paricalcitol</i>	109	<i>phenytoin sodium</i>	29	<i>prednisolone</i>	95
PARICALCITOL.....	109	<i>phenytoin sodium extended</i>	29	<i>prednisolone acetate</i>	88
<i>paroex oral rinse</i>	79	PHESGO.....	22	<i>prednisolone sodium phosphate</i>	88, 95
<i>paromomycin</i>	43	<i>philith</i>	77	<i>prednisone</i>	96
<i>paroxetine hcl</i>	32	PHOSLYRA.....	91	<i>pregabalin</i>	29
PASER.....	41	PICATO.....	80	PREMARIN.....	94
PAXIL.....	32	PIFELTRO.....	51	PREMPHASE.....	94
PEDIARIX (PF).....	106	<i>pilocarpine hcl</i>	79, 112	PREMPRO.....	94
PEDVAX HIB (PF).....	106	<i>pimecrolimus</i>	82	<i>prenatal plus (calcium carb)</i> ..	120
<i>peg 3350-electrolytes</i>	91	<i>pimozide</i>	48	<i>prenatal vitamin plus low iron</i> .	120
PEGANONE.....	29	<i>pimtrea (28)</i>	77	PRETOMANID.....	41
PEGASYS.....	54	<i>pindolol</i>	63	<i>prevalite</i>	68
PEGASYS PROCLICK.....	53	<i>pioglitazone</i>	34	<i>previfem</i>	77
PEGINTRON.....	54	<i>piperacillin-tazobactam</i>	14	PREVYMIS.....	52
PEMAZYRE.....	22	PIQRAY.....	22	PREZCOBIX.....	51
PEN NEEDLE, DIABETIC... 83		<i>pirmella</i>	77	PREZISTA.....	51
<i>penicillamine</i>	93	<i>piroxicam</i>	7	PRIFTIN.....	41
<i>penicillin g potassium</i>	14	PLASMA-LYTE 148.....	114	PRIMAQUINE.....	43
<i>penicillin g procaine</i>	14	PLASMA-LYTE A.....	114	<i>primidone</i>	29
<i>penicillin v potassium</i>	14	PLEGRIDY.....	72	PRIVIGEN.....	103
PENNSAID.....	7	<i>podofilox</i>	80	PROAIR RESPICLICK.....	117
PENTACEL (PF).....	106	POLIVY.....	23	<i>probenecid</i>	39
PENTACEL DTAP-IPV COMPNT (PF).....	106	<i>polycin</i>	87	<i>probenecid-colchicine</i>	39
<i>pentamidine</i>	43	<i>polymyxin b sulfate</i>	11	<i>procainamide</i>	63
<i>pentoxifylline</i>	57	<i>polymyxin b sulf-trimethoprim</i> ..	87	PROCALAMINE 3%.....	60
PERIKABIVEN.....	60	POMALYST.....	23	<i>prochlorperazine</i>	43
<i>perindopril erbumine</i>	62	<i>portia 28</i>	77	<i>prochlorperazine edisylate</i>	42
<i>periogard</i>	79	PORTRAZZA.....	23	<i>prochlorperazine maleate</i>	43
PERJETA.....	22	<i>posaconazole</i>	39	PROCRTIT.....	56
<i>permethrin</i>	83	<i>potassium chloride</i>	114	<i>procto-med hc</i>	82
<i>perphenazine</i>	48	<i>potassium chloride-0.45 % nacl</i>	114	<i>procto-pak</i>	82
<i>perphenazine-amitriptyline</i>	32	<i>potassium citrate</i>	114	<i>proctosol hc</i>	82
PERSERIS.....	48	PRADAXA.....	55	<i>proctozone-hc</i>	83
<i>pfizerpen-g</i>	14	PRALUENT PEN.....	68	PROCYSBI.....	92, 111
<i>phenadoz</i>	42	<i>pramipexole</i>	45	<i>progesterone</i>	99
<i>phenelzine</i>	32	<i>prasugrel</i>	57	<i>progesterone micronized</i>	99
<i>phenobarbital</i>	29	<i>pravastatin</i>	68	PROGLYCEM.....	111
<i>phenylephrine hcl</i>	61, 86	<i>prazosin</i>	61	PROGRAF.....	103
<i>phenytoin</i>	29	<i>prednicarbate</i>	82	PROLASTIN-C.....	118

PROLENSA.....	88	REBIF (WITH ALBUMIN)...	72	<i>ritonavir</i>	51
PROLEUKIN.....	23	REBIF REBIDOSE.....	72, 73	RITUXAN.....	23
PROLIA.....	109	REBIF TITRATION PACK..	73	RITUXAN HYCELA.....	23
PROMACTA.....	56, 57	<i>reclipsen (28)</i>	77	<i>rivastigmine</i>	31
<i>promethazine</i>	39, 43	RECOMBIVAX HB (PF).....	106	<i>rivastigmine tartrate</i>	31
<i>promethegan</i>	43	RECTIV.....	111	<i>rizatriptan</i>	40
<i>propafenone</i>	63	REGRANEX.....	80	ROCKLATAN.....	112
<i>propantheline</i>	90	RELENZA DISKHALER.....	53	<i>ropinirole</i>	45
<i>proparacaine</i>	86	RELISTOR.....	90, 91	<i>rosadan</i>	81
<i>propranolol</i>	64	REMICADE.....	103	<i>rosuvastatin</i>	68
<i>propranolol-hydrochlorothiazid</i>	64	RENFLEXIS.....	103	ROTARIX.....	106
<i>propylthiouracil</i>	99	<i>repaglinide</i>	34	ROTATEQ VACCINE.....	106
PROQUAD (PF).....	106	<i>repaglinide-metformin</i>	34	ROZLYTREK.....	23
PROSOL 20 %.....	60	REPATHA PUSHTRONEX..	68	RUBRACA.....	23
<i>protamine</i>	57	REPATHA SURECLICK.....	68	RUKOBIA.....	51
<i>protriptyline</i>	32	REPATHA SYRINGE.....	68	RUXIENCE.....	23
PULMOZYME.....	84	RESCRIPTOR.....	51	RYBELSUS.....	34
PURIXAN.....	23	RESTASIS.....	88	RYDAPT.....	23
<i>pyrazinamide</i>	41	RETACRIT.....	57	SABRIL.....	29
<i>pyridostigmine bromide</i>	111	RETEVMO.....	23	SAIZEN.....	98
<i>pyrimethamine</i>	43	RETROVIR.....	51	SAIZEN SAIZENPREP.....	98
QBRELIS.....	62	REVCovi.....	85	SANDOSTATIN LAR	
QINLOCK.....	23	REVLIMID.....	23	DEPOT.....	98
QUADRACEL (PF).....	106	<i>revonto</i>	119	SANTYL.....	80
<i>quetiapine</i>	48	REXULTI.....	48	SAPHRIS.....	48
<i>quinapril</i>	62	REYATAZ.....	51	<i>sapropterin</i>	85
<i>quinapril-hydrochlorothiazide</i> ...	62	REYVOW.....	40	SARCLISA.....	23
<i>quinidine gluconate</i>	63	RHOPRESSA.....	112	SAVELLA.....	73
<i>quinidine sulfate</i>	63	<i>ribasphere</i>	54	<i>scopolamine base</i>	43
<i>quinine sulfate</i>	43	<i>ribasphere ribapak</i>	54	SECUADO.....	48
RABAVERT (PF).....	106	<i>ribavirin</i>	54	<i>selegiline hcl</i>	45
<i>rabeprazole</i>	89	RIDAURA.....	103	<i>selenium sulfide</i>	81
RADICAVA.....	72	<i>rifabutin</i>	41	SELZENTRY.....	51
<i>raloxifene</i>	94	<i>rifampin</i>	41	SEREVENT DISKUS.....	117
<i>ramipril</i>	62	<i>riluzole</i>	73	SEROSTIM.....	98
<i>ranolazine</i>	65	<i>rimantadine</i>	53	<i>sertraline</i>	33
<i>rasagiline</i>	45	RINVOQ.....	103	<i>setlakin</i>	77
RASUVO (PF).....	103	<i>risedronate</i>	109	<i>sevelamer carbonate</i>	92
RAVICTI.....	90	RISPERDAL CONSTA.....	48	<i>sevelamer hcl</i>	92
RAYALDEE.....	109	<i>risperidone</i>	48	<i>sharobel</i>	78

SHINGRIX (PF).....	106	<i>spironolacton-hydrochlorothiaz</i>	67	SYMFI LO.....	51
SIGNIFOR.....	98	SPRAVATO.....	33	SYMJEPI.....	65
SIKLOS.....	57	<i>sprintec (28)</i>	78	SYMLINPEN 120.....	34
<i>sildenafil</i>	120	SPRITAM.....	29	SYMLINPEN 60.....	34
<i>sildenafil (pulm.hypertension)</i>	120	SPRYCEL.....	23	SYMPAZAN.....	29
SILENOR.....	119	<i>sps (with sorbitol)</i>	91	SYMTUZA.....	52
SILIQ.....	103	<i>sronyx</i>	78	SYNAGIS.....	53
<i>silver sulfadiazine</i>	81	<i>ssd</i>	81	SYNAREL.....	98
SIMBRINZA.....	112	<i>stavudine</i>	51	SYNDROS.....	43
<i>simliya (28)</i>	78	STELARA.....	103	SYNERCID.....	11
<i>simpesse</i>	78	STIMATE.....	98	SYNJARDY.....	35
SIMPONI.....	103	STIOLTO RESPIMAT.....	117	SYNJARDY XR.....	35
SIMPONI ARIA.....	103	STIVARGA.....	23	SYNRIBO.....	23
<i>simvastatin</i>	68	STRENSIQ.....	85	TABLOID.....	24
<i>sirolimus</i>	103	<i>streptomycin</i>	10	TABRECTA.....	24
SIRTURO.....	41	STRIBILD.....	51	<i>tacrolimus</i>	83, 104
SKYRIZI.....	103	STRIVERDI RESPIMAT....	117	<i>tadalafil</i>	120
SLYND.....	78	SUBLOCADE.....	8	<i>tadalafil (pulm. hypertension)</i>	120
<i>smoflipid</i>	60	<i>subvenite</i>	29	TAFINLAR.....	24
<i>sodium chloride</i>	108	<i>sucalfate</i>	89	TAGRISSE.....	24
<i>sodium chloride 0.9%</i>	114	<i>sulfacetamide sodium</i>	87	TAKHZYRO.....	111
<i>sodium phenylbutyrate</i>	91	<i>sulfacetamide sodium (acne)</i>	81	TALTZ AUTOINJECTOR..	104
<i>sodium polystyrene (sorb free)</i>	91	<i>sulfacetamide-prednisolone</i>	87	TALTZ SYRINGE.....	104
<i>sodium polystyrene sulfonate</i>	91	<i>sulfadiazine</i>	14	TALZENNA.....	24
<i>sofosbuvir-velpatasvir</i>	53	<i>sulfamethoxazole-trimethoprim</i>	14	<i>tamoxifen</i>	24
SOLIQUA 100/33.....	36	<i>sulfasalazine</i>	107, 108	<i>tamsulosin</i>	92
<i>soloxide</i>	15	<i>sulfatrim</i>	14	TARGRETIN.....	24
SOLTAMOX.....	23	<i>sulindac</i>	7	<i>tarina 24 fe</i>	78
SOLU-CORTEF ACT-O-		<i>sumatriptan</i>	40, 41	<i>tarina fe 1/20 (28)</i>	78
VIAL (PF).....	96	<i>sumatriptan succinate</i>	41	TASIGNA.....	24
SOMATULINE DEPOT.....	98	SUNOSI.....	119	TAVALISSE.....	57
SOMAVERT.....	98	SUPPRELIN LA.....	98	<i>tazarotene</i>	83
<i>sorine</i>	64	SUPREP BOWEL PREP KIT	91	TAZORAC.....	83
<i>sotalol</i>	64	SUTENT.....	23	<i>taztia xt</i>	64
<i>sotalol af</i>	64	<i>syeda</i>	78	TAZVERIK.....	24
SOVALDI.....	53	SYLATRON.....	54	TDVAX.....	106
SPIRIVA RESPIMAT.....	117	SYLVANT.....	23	TECENTRIQ.....	24
SPIRIVA WITH		SYMBICORT.....	115	TECFIDERA.....	73
HANDIHALER.....	117	SYMDEKO.....	118	TECHNIVIE.....	53
<i>spironolactone</i>	67	SYMFI.....	51	TEFLARO.....	12

TEKTURNA HCT	69	TIVICAY PD	52	<i>treprostinil sodium</i>	120
<i>telmisartan</i>	61	<i>tizanidine</i>	119	TRESIBA FLEXTOUCH U-	
<i>telmisartan-amlodipine</i>	61	TOBI PODHALER	10	100	37
<i>telmisartan-hydrochlorothiazid</i>	61	<i>tobramycin</i>	10, 87	TRESIBA FLEXTOUCH U-	
<i>temazepam</i>	9	<i>tobramycin in 0.225 % nacl</i>	10	200	37
TEMIXYS	52	<i>tobramycin sulfate</i>	10	TRESIBA U-100 INSULIN	37
TEMODAR	24	<i>tobramycin-dexamethasone</i>	87	<i>tretinoin</i>	83
<i>temsirolimus</i>	24	TOLAK	80	<i>tretinoin (antineoplastic)</i>	25
<i>tencon</i>	5	<i>tolazamide</i>	37	<i>tri femynor</i>	78
TENIVAC (PF)	106	<i>tolbutamide</i>	37	<i>triamcinolone acetonide</i>	79, 83, 96
<i>tenofovir disoproxil fumarate</i>	52	<i>tolmetin</i>	7	<i>triamterene-hydrochlorothiazid</i>	67
TEPEZZA	86	<i>tolterodine</i>	92	<i>triazolam</i>	9
<i>terazosin</i>	92	<i>topiramate</i>	29	<i>trientine</i>	93
<i>terbinafine hcl</i>	39	<i>toposar</i>	24	<i>tri-estarylla</i>	78
<i>terbutaline</i>	117	<i>topotecan</i>	24	<i>trifluoperazine</i>	48
<i>terconazole</i>	40	<i>toremifene</i>	24	<i>trifluridine</i>	87
<i>teriparatide</i>	109	<i>torseamide</i>	67	<i>trihexyphenidyl</i>	45
<i>testosterone</i>	93	TOTECT	111	TRIKAFTA	118
<i>testosterone cypionate</i>	93	TOUJEO MAX U-300		<i>tri-legest fe</i>	78
<i>testosterone enanthate</i>	93	SOLOSTAR	36	<i>tri-linyah</i>	78
TETANUS,DIPHThERIA		TOUJEO SOLOSTAR U-300		<i>tri-lo-estarylla</i>	78
TOX PED(PF)	106	INSULIN	36	<i>tri-lo-marzia</i>	78
<i>tetrabenazine</i>	73	TOVIAZ	92	<i>tri-lo-mili</i>	78
<i>tetracycline</i>	15	TRACLEER	120	<i>tri-lo-sprintec</i>	78
THALOMID	111	TRADJENTA	35	<i>trilyte with flavor packets</i>	91
<i>theophylline</i>	117	<i>tramadol</i>	5	<i>trimethoprim</i>	11
THIOLA	92	<i>tramadol-acetaminophen</i>	5	<i>tri-mili</i>	78
THIOLA EC	92	<i>trandolapril</i>	62	<i>trimipramine</i>	33
<i>thioridazine</i>	48	<i>tranexamic acid</i>	57	TRINTELLIX	33
<i>thiotepa</i>	24	TRANSDERM-SCOP	43	<i>tri-previfem (28)</i>	78
<i>thiothixene</i>	48	<i>tranylcypromine</i>	33	TRIPTODUR	98
<i>tiadylt er</i>	64	TRAVASOL 10 %	60	<i>tri-sprintec (28)</i>	78
<i>tiagabine</i>	29	<i>travoprost</i>	113	TRIUMEQ	52
TIBSOVO	24	TRAZIMERA	24	<i>trivora (28)</i>	78
TICE BCG	104	<i>trazodone</i>	33	<i>tri-vylibra</i>	79
<i>tigecycline</i>	15	TREANDA	24	<i>tri-vylibra lo</i>	78
<i>tilia fe</i>	78	TRECTOR	41	TRODELVY	25
<i>timolol maleate</i>	64, 112	TRELEGY ELLIPTA	117	TROGARZO	52
<i>tinidazole</i>	43	TRELSTAR	24, 25	TROPHAMINE 10 %	60
TIVICAY	52	TREMFYA	104	TROPHAMINE 6%	60

<i>trospium</i>	92	VELPHORO.....	92	VOSEVI.....	53
TRULANCE.....	91	VELTASSA.....	91	VOTRIENT.....	26
TRULICITY.....	35	VEMLIDY.....	52	VPRIV.....	85
TRUMENBA.....	107	VENCLEXTA.....	25	VRAYLAR.....	49
TRUVADA.....	52	VENCLEXTA STARTING		VUMERITY.....	73
TRUXIMA.....	25	PACK.....	25	VYEPTI.....	41
TUDORZA PRESSAIR.....	117	<i>venlafaxine</i>	33	<i>vyfemla (28)</i>	79
TUKYSA.....	25	<i>verapamil</i>	64, 65	<i>vylibra</i>	79
<i>tulana</i>	79	VEREGEN.....	80	VYNDAMAX.....	65
TURALIO.....	25	VERSACLOZ.....	49	VYNDAQEL.....	65
TWINRIX (PF).....	107	VERZENIO.....	25	VYXEOS.....	26
TYBOST.....	111	V-GO 40.....	83	VYZULTA.....	113
TYKERB.....	25	VIBERZI.....	91	<i>warfarin</i>	55
TYMLOS.....	109	<i>vicodin</i>	5	<i>water for irrigation, sterile</i>	108
TYPHIM VI.....	107	<i>vicodin es</i>	5	WELCHOL.....	69
TYSABRI.....	104	<i>vicodin hp</i>	5	<i>wera (28)</i>	79
TYVASO.....	120	VICTOZA.....	35	<i>wixela inhub</i>	116
UBRELVY.....	41	VIDEX 2 GRAM		XADAGO.....	45
UCERIS.....	108	PEDIATRIC.....	52	XALKORI.....	26
UDENYCA.....	57	VIDEX EC.....	52	XARELTO.....	55
UNITUXIN.....	25	VIEKIRA PAK.....	53	XARELTO DVT-PE TREAT	
UPTRAVI.....	120	<i>vienna</i>	79	30D START.....	55
<i>ursodiol</i>	91	<i>vigabatrin</i>	30	XATMEP.....	26
<i>valacyclovir</i>	54	<i>vigadrone</i>	30	XCOPRI.....	30
VALCHLOR.....	80	VIIBRYD.....	33	XCOPRI MAINTENANCE	
<i>valganciclovir</i>	54	VIMIZIM.....	85	PACK.....	30
<i>valproate sodium</i>	30	VIMPAT.....	30	XCOPRI TITRATION	
<i>valproic acid</i>	30	<i>vinblastine</i>	25	PACK.....	30
<i>valproic acid (as sodium salt)</i> ...30		<i>vincasar pfs</i>	25	XELJANZ.....	104
<i>valrubicin</i>	25	<i>vincristine</i>	25	XELJANZ XR.....	104
<i>valsartan</i>	61	<i>vinorelbine</i>	25	XELPROS.....	113
<i>valsartan-hydrochlorothiazide</i> ...61		<i>viorele (28)</i>	79	XERMELO.....	91
VALTOCO.....	30	VIRACEPT.....	52	XGEVA.....	109
<i>vancomycin</i>	11	VIREAD.....	52	XHANCE.....	89
VAQTA (PF).....	107	VISTOGARD.....	111	XIFAXAN.....	11
VARIVAX (PF).....	107	VITRAKVI.....	25	XIIDRA.....	89
VASCEPA.....	68	VIZIMPRO.....	25	XOFLUZA.....	53
VECTIBIX.....	25	<i>volnea (28)</i>	79	XOLAIR.....	118
VELCADE.....	25	VOLTAREN.....	7	XOSPATA.....	26
<i>velivet triphasic regimen (28)</i> ...79		<i>voriconazole</i>	39	XPOVIO.....	26

XTAMPZA ER.....	5	<i>zoledronic acid-mannitol-water</i>	
XTANDI.....	26		109
<i>xulane</i>	79	ZOLINZA.....	26
XULTOPHY 100/3.6.....	37	<i>zolmitriptan</i>	41
XURIDEN.....	112	<i>zolpidem</i>	119
XYOSTED.....	94	ZOMACTON.....	98
XYREM.....	119	<i>zonisamide</i>	30
XYWAV.....	119	ZORBTIVE.....	98
YERVOY.....	26	ZORTRESS.....	104
YF-VAX (PF).....	107	ZOSTAVAX (PF).....	107
YONDELIS.....	26	<i>zovia 1/35e (28)</i>	79
YONSA.....	26	ZTLIDO.....	7
<i>yuvafem</i>	95	ZUBSOLV.....	8
<i>zafirlukast</i>	116	ZULRESSO.....	33
<i>zaleplon</i>	119	<i>zumandimine (28)</i>	79
ZALTRAP.....	26	ZYDELIG.....	27
<i>zarah</i>	79	ZYKADIA.....	27
ZARXIO.....	57	ZYLET.....	87
<i>zebutal</i>	5	ZYPREXA RELPREVV.....	49
ZEJULA.....	26	ZYTIGA.....	27
ZELBORAF.....	26		
<i>zenatane</i>	80		
<i>zenchent (28)</i>	79		
ZENPEP.....	85		
ZEPATIER.....	53		
ZEPOSIA.....	73		
ZEPOSIA STARTER KIT.....	73		
ZEPOSIA STARTER PACK.....	73		
ZEPZELCA.....	26		
<i>zidovudine</i>	52		
ZIEXTENZO.....	57		
ZIOPTAN (PF).....	113		
<i>ziprasidone hcl</i>	49		
<i>ziprasidone mesylate</i>	49		
ZIRABEV.....	26		
ZIRGAN.....	87		
ZOLADEX.....	26		
<i>zoledronic acid</i>	109		

This formulary was updated on 11/24/2020.
For more recent information or other questions, please contact Essence Healthcare, Inc. Customer Service at 1-866-597-9560 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m. You may reach a messaging service on weekends from April 1 through September 30, and holidays. Please leave a message, and your call will be returned the next business day, or visit www.essencehealthcare.com.

**13900 Riverport Drive
Maryland Heights, MO 63043
www.essencehealthcare.com**

**Local: 314-209-2700
Toll-free: 1-866-597-9560
TTY users dial: 711**

**8 a.m. to 8 p.m., seven days
a week**