



2019

Prescription Drug Formulary

This formulary was updated on 11/19/2019. For more recent information or other questions, please contact CoxHealth MedicarePlus Customer Service at 1-866-597-9560 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m. You may reach a messaging service on weekends and holidays from April 1 through September 30. Please leave a message, and your call will be returned the next business day, or visit www.coxhealthmedicareplus.com.

CoxHealth Medicare*Plus* (HMO)

2019 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Essence Healthcare, Inc . When it refers to “plan” or “our plan,” it means CoxHealth Medicare*Plus* (HMO).

This document includes a list of the drugs (formulary) for our plan, which is current as of December 2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/co-insurance may change on January 1, 2020, and from time to time during the year.

Essence Healthcare is an HMO plan with a Medicare contract. Enrollment in Essence Healthcare depends on contract renewal.

The Formulary, pharmacy network, and/or provider network may change at any time. You will receive notice when necessary.

HPMS Approved Formulary File Submission ID: 00019128 Version Number 19

Y0027_18-062_RX_C

What is the CoxHealth MedicarePlus (HMO) Formulary?

A formulary is a list of covered drugs selected by CoxHealth MedicarePlus in consultation with a team of healthcare providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. CoxHealth MedicarePlus will generally cover the drugs listed in our formulary, as long as the drug is medically necessary, the prescription is filled at a CoxHealth MedicarePlus network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year, except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of December 2019. To get updated information about the drugs covered by CoxHealth MedicarePlus, please contact us. Our contact information appears on the front and back cover pages. If we make other types of formulary changes than those listed above (non-maintenance changes), we will mail written notification to affected members in the form of Formulary Errata Sheets.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories, depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category “Cardiovascular.” If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

CoxHealth Medicare*Plus* covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** CoxHealth Medicare*Plus* requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from the plan before you fill your prescriptions. If you don't get approval, CoxHealth Medicare*Plus* may not cover the drug.
- **Quantity Limits:** For certain drugs, CoxHealth Medicare*Plus* limits the amount of the drug that the plan will cover. For example, CoxHealth Medicare*Plus* provides 18 tablets per prescription for sumatriptan tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, CoxHealth Medicare*Plus* requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For

example, if Drug A and Drug B both treat your medical condition, CoxHealth Medicare*Plus* may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask CoxHealth Medicare*Plus* to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the CoxHealth Medicare*Plus* formulary?” on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact customer service and ask if your drug is covered.

If you learn that CoxHealth Medicare*Plus* does not cover your drug, you have two options:

- You can ask customer service for a list of similar drugs that are covered by CoxHealth Medicare*Plus*. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by CoxHealth Medicare*Plus*.
- You can ask CoxHealth Medicare*Plus* to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the CoxHealth Medicare*Plus* (HMO) Formulary?

You can ask CoxHealth Medicare*Plus* to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, CoxHealth Medicare*Plus* limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, CoxHealth Medicare*Plus* will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary, but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception. Members who have a change in level of care (setting) will be allowed a one-time up to 30-day transition supply per drug. Examples include beneficiaries who are entering a long-term care facility, are discharged from a hospital to home, or ending a long-term care stay and returning to the community.

For more information

For more detailed information about your CoxHealth Medicare*Plus* prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about CoxHealth Medicare*Plus*, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

CoxHealth Medicare*Plus* Formulary

The formulary below provides coverage information about the drugs covered by CoxHealth Medicare*Plus*. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if CoxHealth Medicare*Plus* has any special requirements for coverage of your drug.

List of Abbreviations

LA: Limited Access. This prescription may be available only at certain pharmacies. For more information, consult your Provider Directory or call customer service at 314-209-2700 or toll free 1-866-597-9560, seven days a week from 8 a.m. to 8 p.m. Central Time. You may reach a messaging service on weekends and holidays from April 1 through September 30. Please leave a message, and your call will be returned the next business day. TTY users should call 711.

NDS: Non-Extended Days' Supply. This drug can only be obtained for a one-month supply or less. You cannot fill a prescription for more than a one-month supply.

NM: Non-Mail Order. The prescription cannot be filled by a CoxHealth Medicare*Plus* network mail order pharmacy.

PA: Prior Authorization. CoxHealth Medicare*Plus* requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from CoxHealth Medicare*Plus* before you fill your prescriptions. If you don't get approval, the plan may not cover the drug.

PA BvD: Prior Authorization for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. You (or your physician) are required to get prior authorization from CoxHealth Medicare*Plus* to determine that this drug is covered under

Medicare Part D before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

PA-HRM: Prior Authorization, High Risk Medications. This prescription drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years of age or older. Members age 65 years or older are required to get prior approval from CoxHealth Medicare*Plus* before filling prescriptions for this drug. Without prior approval, the plan may not cover this drug.

PA NSO: Prior Authorization, New Starts Only. If you are a new member, or if you have not taken this drug before, you or your physician are required to get prior authorization from CoxHealth Medicare*Plus* before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

QL: Quantity Limit. For certain drugs, CoxHealth Medicare*Plus* limits the amount of the drug that the plan will cover. For example, CoxHealth Medicare*Plus* provides eighteen tablets per prescription for *sumatriptan succinate*. This may be in addition to a standard one-month or three-month supply.

ST: Step Therapy. In some cases, CoxHealth Medicare*Plus* requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, CoxHealth Medicare*Plus* may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the plan will then cover Drug B.

For information regarding copayment amounts and/or coinsurance percentages, refer to Chapter 6, Section 5.2 in your Evidence of Coverage.

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	8
Antibacterials	10
Anticancer Agents	16
Anticholinergic Agents	25
Anticonvulsants	25
Antidementia Agents	28
Antidepressants	29
Antidiabetic Agents	31
Antifungals	34
Antigout Agents	36
Antihistamines	36
Anti-Infectives (Skin And Mucous Membrane)	37
Antimigraine Agents	37
Antimycobacterials	38
Antinausea Agents	38
Antiparasite Agents	39
Antiparkinsonian Agents	40
Antipsychotic Agents	41
Antivirals (Systemic)	45
Blood Products/Modifiers/Volume Expanders	50
Caloric Agents	52
Cardiovascular Agents	55
Central Nervous System Agents	64
Contraceptives	67

Dental And Oral Agents	73
Dermatological Agents	73
Devices	77
Enzyme Replacement/Modifiers	78
Eye, Ear, Nose, Throat Agents	79
Gastrointestinal Agents	83
Genitourinary Agents	86
Heavy Metal Antagonists	86
Hormonal Agents, Stimulant/Replacement/Modifying	87
Immunological Agents	92
Inflammatory Bowel Disease Agents	99
Irrigating Solutions	100
Metabolic Bone Disease Agents	100
Miscellaneous Therapeutic Agents	102
Ophthalmic Agents	103
Replacement Preparations	104
Respiratory Tract Agents	107
Skeletal Muscle Relaxants	110
Sleep Disorder Agents	111
Vasodilating Agents	111
Vitamins And Minerals	112

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	4	QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital compound-codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butorphanol tartrate nasal spray,non-aerosol 10 mg/ml</i>	2	GC; QL (5 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	GC; QL (180 per 30 days)
EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG	4	QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC; QL (180 per 30 days)
HYSINGLA ER ORAL TABLET, ORAL ONLY, EXT. REL. 24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	GC; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	GC; QL (180 per 30 days)
<i>morphine intravenous solution 10 mg/ml</i>	2	GC
<i>morphine intravenous syringe 10 mg/ml</i>	2	GC
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	GC; QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; QL (300 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	GC; QL (240 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	2	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zebutal oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	4	QL (60 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	2	PA; GC
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	2	GC
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	2	GC
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	2	GC
<i>diflunisal oral tablet 500 mg</i>	2	GC
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg, 500 mg</i>	2	GC
<i>fenoprofen oral tablet 600 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	GC; QL (60 per 30 days)
<i>indomethacin sodium intravenous recon soln 1 mg</i>	2	GC
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	GC; QL (40 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	2	GC
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NDS; QL (224 per 28 days)
<i>piroxicam oral capsule 10 mg, 20 mg</i>	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<i>tolmetin oral capsule 400 mg</i>	2	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	GC
VIMOVO ORAL TABLET,IR,DELAYED REL,BIPHASIC 375-20 MG, 500-20 MG	5	PA; NDS; QL (60 per 30 days)
VOLTAREN TOPICAL GEL 1 %	3	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	2	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	QL (106 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
LUCEMYRA ORAL TABLET 0.18 MG	5	NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	2	GC; QL (90 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clobazam oral suspension 2.5 mg/ml</i>	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	2	PA NSO; GC; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	GC; QL (180 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>estazolam oral tablet 1 mg</i>	2	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	GC; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i>	2	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>temazepam oral capsule 15 mg, 30 mg</i>	2	GC; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
Antibacterials		
Aminoglycosides		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	2	GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NDS
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	2	GC
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	GC
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NDS
Antibacterials, Miscellaneous		
<i>baciiim intramuscular recon soln 50,000 unit</i>	2	GC
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	GC
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml), 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	5	PA BvD; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	5	NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NDS
<i>linezolid oral tablet 600 mg</i>	2	GC
<i>methenamine hippurate oral tablet 1 gram</i>	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfite injection recon soln 500,000 unit</i>	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	2	PA BvD; GC
<i>vancomycin oral capsule 125 mg</i>	2	GC
<i>vancomycin oral capsule 250 mg</i>	5	NDS
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	4	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefditoren pivoxil oral tablet 200 mg, 400 mg</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	
<i>cefixime oral capsule 400 mg</i>	2	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>cefotaxime injection recon soln 1 gram, 10 gram, 2 gram, 500 mg</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
<i>ceftibuten oral capsule 400 mg</i>	4	
<i>ceftibuten oral suspension for reconstitution 180 mg/5 ml</i>	4	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	GC
SUPRAX ORAL CAPSULE 400 MG	4	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin 250 mg tablet 250 mg</i>	1	GC
<i>azithromycin intravenous recon soln 500 mg</i>	2	GC
<i>azithromycin oral packet 1 gram</i>	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	GC
DIFICID ORAL TABLET 200 MG	5	ST; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml, 400 mg/5 ml</i>	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	2	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>penicillin g potassium injection recon soln 20 million unit</i>	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	PA BvD; GC
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	4	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	GC
<i>doxy-100 intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 200 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
MINOCIN INTRAVENOUS RECON SOLN 100 MG	3	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>okebo oral capsule 100 mg, 75 mg</i>	2	GC
<i>soloxide oral tablet, delayed release (dr/ec) 150 mg</i>	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i>	5	NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i>	5	PA NSO; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i>	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
<i>azacitidine injection recon soln 100 mg</i>	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i>	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 ml</i>	5	NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NDS
<i>docetaxel intravenous solution 20 mg/2 ml (10 mg/ml), 20 mg/ml, 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>exemestane oral tablet 25 mg</i>	2	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	2	GC
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	5	NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	5	NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	
GLEOSTINE ORAL CAPSULE 100 MG	5	NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NDS
HEXALEN ORAL CAPSULE 50 MG	5	NDS
<i>hydroxyurea oral capsule 500 mg</i>	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	PA BvD; GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	PA BvD; GC
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	PA BvD; NDS
<i>imatinib oral tablet 100 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NDS; QL (8 per 28 days)
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	5	NDS
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml, 500 mg/25 ml</i>	2	GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i>	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	GC
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NDS; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>melfalan hcl intravenous recon soln 50 mg</i>	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	PA BvD; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD; GC
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	5	PA NSO; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NDS; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	5	NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	PA BvD; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i>	5	NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	GC
<i>topotecan intravenous recon soln 4 mg</i>	5	NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NDS
<i>toremifene oral tablet 60 mg</i>	5	NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NDS
<i>valrubicin intravesical solution 40 mg/ml</i>	5	NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	5	NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	4	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	4	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 160 MG/WEEK (20 MG X 8)	5	PA NSO; NDS; QL (32 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 80 MG/WEEK (20 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NDS; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	4	
<i>propantheline oral tablet 15 mg</i>	2	GC
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	5	NDS
BANZEL ORAL SUSPENSION 40 MG/ML	5	NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
DILANTIN ORAL CAPSULE 30 MG	2	GC
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	GC
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i>	2	GC
<i>ethosuximide oral capsule 250 mg</i>	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i>	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i>	2	GC
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	NDS
FYCOMPA ORAL TABLET 2 MG	4	
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	1	GC
<i>gabapentin oral solution 250 mg/5 ml</i>	2	GC
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	GC
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14)</i>	2	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	2	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	2	GC
<i>levetiracetam oral solution 100 mg/ml</i>	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	2	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	3	QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i>	2	GC
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	2	GC
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG	5	NDS; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
<i>vigabatrin oral powder in packet 500 mg</i>	5	NDS
<i>vigabatrin oral tablet 500 mg</i>	5	NDS
<i>vigadrone oral powder in packet 500 mg</i>	5	NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i>	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	2	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral tablets, dose pack 5-10 mg</i>	4	QL (49 per 28 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	QL (56 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	2	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	2	GC
<i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	GC; QL (60 per 30 days)
<i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>	2	GC; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	QL (56 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	2	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i>	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i>	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranlycypromine oral tablet 10 mg</i>	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	2	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	QL (30 per 180 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	4	QL (60 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	4	QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	4	QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	1	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	GC; QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	5	ST; NDS; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	2	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	2	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
<i>tolazamide oral tablet 250 mg</i>	2	GC; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	GC; QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	2	GC; QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i>	5	NDS
<i>ciclopirox topical cream 0.77 %</i>	2	GC
<i>ciclopirox topical gel 0.77 %</i>	2	GC
<i>ciclopirox topical shampoo 1 %</i>	2	GC
<i>ciclopirox topical solution 8 %</i>	2	GC
<i>ciclopirox topical suspension 0.77 %</i>	2	GC
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i>	2	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	GC
<i>econazole topical cream 1 %</i>	2	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i>	2	GC
<i>itraconazole oral solution 10 mg/ml</i>	3	
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC
<i>ketoconazole topical shampoo 2 %</i>	2	GC
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NDS
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nyamyc topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC
<i>nystatin topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i>	2	GC
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>	5	NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	5	NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i>	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	5	NDS
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
<i>colchicine oral capsule 0.6 mg</i>	2	GC
<i>colchicine oral tablet 0.6 mg</i>	2	GC
<i>febuxostat oral tablet 40 mg, 80 mg</i>	2	GC; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
ULORIC ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	GC
<i>clemastine oral tablet 2.68 mg</i>	2	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>cyproheptadine oral tablet 4 mg</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	2	GC
<i>levocetirizine oral tablet 5 mg</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i>	2	GC
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i>	2	GC
<i>metronidazole vaginal gel 0.75 %</i>	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	2	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	2	GC; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	GC; QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	2	GC; QL (12 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (12 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i>	2	GC
<i>rifampin intravenous recon soln 600 mg</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	2	PA BvD; GC; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>compro rectal suppository 25 mg</i>	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	2	PA; GC
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	4	QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i>	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg</i>	2	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	2	GC; QL (10 per 30 days)
SYNDROS ORAL SOLUTION 5 MG/ML	4	PA
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALINIA ORAL TABLET 500 MG	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	5	NDS
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	
DARAPRIM ORAL TABLET 25 MG	5	PA; NDS
<i>hydroxychloroquine oral tablet 200 mg</i>	2	GC
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC
NEBUPENT INHALATION RECON SOLN 300 MG	4	PA BvD
<i>paromomycin oral capsule 250 mg</i>	2	GC
PENTAM INJECTION RECON SOLN 300 MG	4	
<i>pentamidine injection recon soln 300 mg</i>	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>quinine sulfate oral capsule 324 mg</i>	2	PA; GC; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	GC
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i>	5	NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i>	2	GC
<i>bromocriptine oral tablet 2.5 mg</i>	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa oral tablet 25 mg</i>	5	NDS
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	2	GC
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NDS; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	5	PA; NDS; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MYCITE ORAL TABLET WITH SENSOR AND PATCH 10 MG, 15 MG, 20 MG, 30 MG, 5 MG	5	PA NSO; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ABILIFY MYCITE ORAL TABLET WITH SENSOR AND PATCH 2 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>clozapine oral tablet 100 mg</i>	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; GC; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	QL (6 per 28 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olanzapine intramuscular recon soln 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	5	NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	5	NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i>	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST; QL (14 per 365 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC; QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i>	2	GC
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	NDS
APTIVUS ORAL CAPSULE 250 MG	5	NDS
APTIVUS ORAL SOLUTION 100 MG/ML	5	NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	5	NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg</i>	5	NDS
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	5	NDS
EMTRIVA ORAL CAPSULE 200 MG	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL CAPSULE 200 MG	5	NDS
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL TABLET 100-25 MG	4	
KALETRA ORAL TABLET 200-50 MG	5	NDS
<i>lamivudine oral solution 10 mg/ml</i>	2	GC
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	3	
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL CAPSULE 100 MG	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	5	NDS
RESCRIPTOR ORAL TABLET 200 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i>	2	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
<i>stavudine oral recon soln 1 mg/ml</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SYMFI LO ORAL TABLET 400-300-300 MG	5	NDS
SYMFI ORAL TABLET 600-300-300 MG	5	NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	5	NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
ZERIT ORAL RECON SOLN 1 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zidovudine oral capsule 100 mg</i>	2	GC
<i>zidovudine oral syrup 10 mg/ml</i>	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i>	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i>	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	2	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	
<i>rimantadine oral tablet 100 mg</i>	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
Hcv Antivirals		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; NDS; QL (30 per 30 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i>	5	PA; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	5	PA; NDS; QL (28 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NDS; QL (4 per 28 days)
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NDS
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i>	5	NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	5	NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>ribasphere oral capsule 200 mg</i>	2	GC
<i>ribasphere oral tablet 200 mg</i>	2	GC
<i>ribasphere oral tablet 400 mg, 600 mg</i>	5	NDS
<i>ribasphere ribapak oral tablets, dose pack 200 mg (7)- 400 mg (7), 400 mg (7)- 400 mg (7), 600 mg (7)- 400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	NDS
<i>ribavirin inhalation recon soln 6 gram</i>	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	2	GC
<i>valganciclovir oral recon soln 50 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valganciclovir oral tablet 450 mg</i>	5	NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	5	NDS
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	2	GC
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	2	GC
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	GC
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	GC
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>	2	GC
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	5	PA; NDS; QL (24 per 28 days)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG	3	
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NDS; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NDS; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (360 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (120 per 30 days)
PROMACTA ORAL TABLET 50 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	2	GC
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	2	GC; QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 300 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	4	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	4	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4	PA BvD
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	4	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr</i>	2	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>	2	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i>	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	GC
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	2	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	2	GC
<i>olmesartan-amlodipin-hcthiaid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	2	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>	2	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	GC
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	2	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	GC
Antiarrhythmic Agents		
<i>amiodarone intravenous solution 50 mg/ml</i>	2	GC
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	2	GC
<i>amiodarone oral tablet 100 mg, 400 mg</i>	2	GC
<i>amiodarone oral tablet 200 mg</i>	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	2	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	GC
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i>	5	PA BvD; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	5	NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	4	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i>	2	GC
<i>digoxin oral tablet 250 mcg (0.25 mg)</i>	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	5	NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	NDS; QL (18 per 30 days)
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	5	PA BvD; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	2	GC
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg</i>	2	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	2	GC
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg</i>	2	GC
<i>nifedipine oral tablet extended release 90 mg</i>	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	GC
<i>torseamide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg, 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	GC
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	2	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	GC
<i>cholestyramine light oral powder 4 gram</i>	2	GC
<i>cholestyramine light packet 4 gram</i>	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	2	GC
<i>colesevelam oral tablet 625 mg</i>	2	GC
<i>colestipol oral packet 5 gram</i>	2	GC
<i>colestipol oral tablet 1 gram</i>	2	GC
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i>	2	GC
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>	2	GC
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	2	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	2	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gemfibrozil oral tablet 600 mg</i>	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NDS; QL (45 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>niacin oral tablet 500 mg</i>	2	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i>	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	5	PA; NDS; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>prevalite oral powder in packet 4 gram</i>	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	5	PA; NDS; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	5	PA; NDS; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	5	PA; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	2	GC
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>simvastatin oral tablet 80 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	
WELCHOL ORAL TABLET 625 MG	3	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i>	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i>	2	GC
TEKTURN HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 60 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 30 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	GC; QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	2	GC; QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	GC; QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr</i>	2	GC; QL (60 per 30 days)
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i>	2	GC; QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	2	GC
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS; QL (20 per 336 days)
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	4	PA
<i>metadate er oral tablet extended release 20 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate er 18 mg tab 18 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate la 20 mg cap 20 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate la 40 mg cap 40 mg</i>	2	GC; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML-94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NDS
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
<i>riluzole oral tablet 50 mg</i>	2	GC
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	QL (60 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NDS; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	5	PA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	5	PA; NDS; QL (112 per 28 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	2	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>cyred 28 day tablet outer 0.15-0.03 mg</i>	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>deblitane oral tablet 0.35 mg</i>	2	GC
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	GC
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	GC
<i>errin oral tablet 0.35 mg</i>	2	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	2	GC
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>gildagia oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>heather oral tablet 0.35 mg</i>	2	GC
<i>incassia oral tablet 0.35 mg</i>	2	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	GC
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	GC
<i>jencycla oral tablet 0.35 mg</i>	2	GC
<i>jolivette oral tablet 0.35 mg</i>	4	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	GC
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	2	GC
<i>kelnor</i> 1-50 oral tablet 1-50 mg-mcg	2	GC
<i>kimidess</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	GC
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	2	GC
<i>l norgest/e.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)	2	GC; QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	2	GC
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	2	GC
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	GC
<i>larin fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	GC
<i>larin fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	GC
<i>larissia</i> oral tablet 0.1-20 mg-mcg	2	GC
<i>leena</i> 28 oral tablet 0.5/1/0.5-35 mg-mcg	4	
<i>lessina</i> oral tablet 0.1-20 mg-mcg	2	GC
<i>levonest</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	GC
<i>levonorgestrel-ethinyl estrad</i> oral tablet 0.1-20 mg-mcg	2	GC
<i>levonorgestrel-ethinyl estrad</i> oral tablet 0.15-0.03 mg	2	GC; QL (91 per 84 days)
<i>levonorgestrel-ethinyl estrad</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic</i> oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	GC
<i>levora-28</i> oral tablet 0.15-0.03 mg	2	GC
<i>lillow</i> (28) oral tablet 0.15-0.03 mg	2	GC
<i>loryna</i> (28) oral tablet 3-0.02 mg	2	GC
<i>low-ogestrel</i> (28) oral tablet 0.3-30 mg-mcg	2	GC
<i>lo-zumandimine</i> (28) oral tablet 3-0.02 mg	2	GC
<i>lutra</i> (28) oral tablet 0.1-20 mg-mcg	2	GC
<i>lyza</i> oral tablet 0.35 mg	2	GC
<i>marlissa</i> (28) oral tablet 0.15-0.03 mg	2	GC
<i>microgestin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	GC
<i>nora-be oral tablet 0.35 mg</i>	4	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i>	2	GC
<i>norlyda oral tablet 0.35 mg</i>	2	GC
<i>norlyroc oral tablet 0.35 mg</i>	2	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	4	QL (1 per 28 days)
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	4	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tulana oral tablet 0.35 mg</i>	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	GC
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	GC
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i>	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	1	GC
<i>oralone dental paste 0.1 %</i>	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>perio gard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	2	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	2	GC
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	GC
<i>acyclovir topical cream 5 %</i>	2	GC; QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	2	GC; QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcipotriene scalp solution 0.005 %</i>	2	GC
<i>calcipotriene topical cream 0.005 %</i>	2	GC
<i>calcipotriene topical ointment 0.005 %</i>	2	GC
<i>calcitrene topical ointment 0.005 %</i>	2	GC
<i>calcitriol topical ointment 3 mcg/gram</i>	4	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
DENAVIR TOPICAL CREAM 1 %	5	NDS
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; NDS
<i>fluorouracil topical cream 0.5 %</i>	5	NDS
<i>fluorouracil topical cream 5 %</i>	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
<i>imiquimod topical cream in packet 5 %</i>	2	PA NSO; GC; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TOLAK TOPICAL CREAM 4 %	4	
TREMFYA SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate topical solution 1 %</i>	2	GC
<i>clindamycin phosphate topical swab 1 %</i>	2	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %, 1.2 %(1 % base) -5 %</i>	2	GC
<i>ery pads topical swab 2 %</i>	2	GC
<i>erythromycin with ethanol topical gel 2 %</i>	2	GC
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC
<i>erythromycin with ethanol topical swab 2 %</i>	2	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	2	GC
<i>gentamicin topical cream 0.1 %</i>	2	GC
<i>gentamicin topical ointment 0.1 %</i>	2	GC
<i>metronidazole topical cream 0.75 %</i>	2	GC
<i>metronidazole topical gel 0.75 %, 1 %</i>	2	GC
<i>metronidazole topical lotion 0.75 %</i>	2	GC
<i>mupirocin topical ointment 2 %</i>	1	GC
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	2	GC
<i>rosadan topical cream 0.75 %</i>	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i>	4	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %, 2.5 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	2	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical foam 0.12 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i>	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical foam 0.05 %</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical lotion 0.05 %</i>	2	GC
<i>clobetasol topical ointment 0.05 %</i>	2	GC
<i>clobetasol topical shampoo 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical foam 0.05 %</i>	2	GC
<i>clocortolone pivalate topical cream 0.1 %</i>	4	
<i>cormax scalp solution 0.05 %</i>	2	GC
<i>desonide topical cream 0.05 %</i>	2	GC
<i>desonide topical lotion 0.05 %</i>	2	GC
<i>desonide topical ointment 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	2	GC
<i>desoximetasone topical gel 0.05 %</i>	2	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	2	GC
<i>diflorasone topical cream 0.05 %</i>	2	GC
<i>diflorasone topical ointment 0.05 %</i>	2	GC
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	2	GC
<i>fluocinolone topical ointment 0.025 %</i>	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical gel 0.05 %</i>	2	GC
<i>fluocinonide topical ointment 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocort buty 0.1% lipo cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i>	2	GC
<i>prednicarbate topical cream 0.1 %</i>	4	
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i>	2	GC
<i>adapalene topical gel 0.1 %</i>	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i>	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	2	PA; GC
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	2	PA; GC
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i>	2	GC
<i>permethrin topical cream 5 %</i>	2	GC
<i>spinosad topical suspension 0.9 %</i>	4	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	GC
NEEDLES, INSULIN DISP., SAFETY	2	GC
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>miglustat oral capsule 100 mg</i>	5	NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i>	5	PA; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCIVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000-17,000- 24,000 UNIT	3	

Eye, Ear, Nose, Throat Agents

Eye, Ear, Nose, Throat Agents, Miscellaneous

<i>alcaïne ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i>	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 0.15 % (205.5 mcg)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	2	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i>	2	GC
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	4	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i>	4	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	GC
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluocinolone acetamide oil otic (ear) drops 0.01 %</i>	2	GC
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	1	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i>	2	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	2	GC; QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	GC
CARAFATE ORAL SUSPENSION 100 MG/ML <i>cimetidine hcl oral solution 300 mg/5 ml</i>	4	
<i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>	2	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	3	ST
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	2	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	GC
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg, 30 mg</i>	2	GC
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	2	GC
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>pantoprazole intravenous recon soln 40 mg</i>	2	GC
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg</i>	1	GC
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i>	2	ST; GC; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i>	2	GC
<i>ranitidine hcl oral syrup 15 mg/ml</i>	2	GC
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	GC
<i>sucralfate oral tablet 1 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	2	GC
<i>dicyclomine oral capsule 10 mg</i>	1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	2	GC
<i>enulose oral solution 10 gram/15 ml</i>	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	GC
<i>lactulose oral solution 10 gram/15 ml</i>	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i>	2	GC
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	5	PA; NDS; QL (28 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>sps 15 gm/60 ml suspension 15 gram/60 ml</i>	2	GC
TRULANCE ORAL TABLET 3 MG	4	
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg, 500 mg</i>	2	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	4	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	GC
<i>gavilyte-n oral recon soln 420 gram</i>	2	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	GC
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i>	4	
POLYETHYLENE GLYCOL 3350(BULK) POWDER	2	GC
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	GC
Phosphate Binders		
<i>calcium acetate oral capsule 667 mg</i>	2	GC
<i>calcium acetate oral tablet 667 mg</i>	2	GC
<i>eliphos oral tablet 667 mg</i>	2	GC
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i>	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sevelamer carbonate oral tablet 800 mg</i>	2	GC
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>flavoxate oral tablet 100 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	GC
<i>trospium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	2	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	2	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i>	1	GC
<i>tamsulosin oral capsule 0.4 mg</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	PA; GC
DEPEN TITRATABS ORAL TABLET 250 MG	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	5	PA; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	5	PA; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NDS
<i>penicillamine oral capsule 250 mg</i>	5	PA; NDS
<i>trientine oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>oxandrolone oral tablet 10 mg</i>	5	NDS
<i>oxandrolone oral tablet 2.5 mg</i>	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml</i>	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; GC; QL (150 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (4 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	GC
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	2	GC
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i>	2	GC
<i>yuvafem vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	2	GC
<i>cortisone oral tablet 25 mg</i>	2	GC
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	PA BvD; GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phosphate injection solution 10 mg/ml</i>	2	GC
<i>dexamethasone sodium phosphate injection solution 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NDS; QL (104 per 30 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	1	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	GC
Pituitary		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin injection solution 4 mcg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>	4	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	2	GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NDS
NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NDS
ORLISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORLISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	NDS
STIMATE NASAL SPRAY,NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	5	NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY,NON-AEROSOL 2 MG/ML	5	NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	5	PA NSO; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	4	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	5	NDS
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
<i>liothyronine intravenous solution 10 mcg/ml</i>	2	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA BvD; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i>	2	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	2	PA BvD; GC
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK)	5	PA; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	GC
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	3	
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL CAPSULE 1 MG	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ER ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NDS; QL (30 per 30 days)
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i>	5	PA BvD; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	2	PA BvD; GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA BvD; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents

<i>alosetron oral tablet 0.5 mg, 1 mg</i>	5	NDS
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	3	
<i>balsalazide oral capsule 750 mg</i>	2	GC
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>colocort rectal enema 100 mg/60 ml</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	2	GC
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram, 800 mg</i>	2	GC
<i>mesalamine rectal suppository 1,000 mg</i>	2	GC
<i>sulfasalazine oral tablet 500 mg</i>	2	GC
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	2	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	4	
LACTATED RINGERS IRRIGATION SOLUTION	4	
<i>sodium chloride irrigation solution 0.9 %</i>	4	
<i>water for irrigation, sterile irrigation solution</i>	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	GC
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	2	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	5	NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	2	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	GC
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	GC
EVENTITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	5	PA; NDS; QL (2.34 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EVENTITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	4	
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i>	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	5	NDS
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i>	2	GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NDS
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
<i>guanidine oral tablet 125 mg</i>	4	
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	2	GC
<i>levocarnitine oral tablet 330 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	NDS
<i>mesna intravenous solution 100 mg/ml</i>	2	GC
MESNEX ORAL TABLET 400 MG	5	NDS
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	2	GC
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; NDS; QL (8 per 28 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	5	NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	2	GC
<i>pyridostigmine bromide oral tablet 30 mg, 60 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg</i>	2	GC
RENFLXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (60 per 30 days)
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	NDS
THIOLA ORAL TABLET 100 MG	5	NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>brimonidine ophthalmic (eye) drops 0.15 %</i>	4	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	1	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	GC
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	ST; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %</i>	2	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.5 %</i>	2	GC
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	QL (2.5 per 25 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	4	ST; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	4	QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	4	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	GC
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD; GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE-56 IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	4	PA BvD
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	4	PA BvD
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	PA BvD
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	4	PA BvD
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	4	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	4	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	4	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	2	GC
<i>sodium acetate intravenous solution 2 meq/ml</i>	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	4	
<i>sodium lactate intravenous solution 5 meq/ml</i>	4	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	2	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	2	PA BvD; GC
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	3	QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	GC; QL (60 per 30 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	QL (12 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 80-4.5 MCG/ACTUATION	3	QL (11 per 25 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	GC; QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i>	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	2	GC
Bronchodilators		
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation, 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i>	2	GC
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 5 mg/ml</i>	2	PA BvD; GC
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i>	4	QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i>	2	PA BvD; GC
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESPI ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESPI ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>carisoprodol oral tablet 250 mg, 350 mg</i>	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	GC
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg, 4 mg</i>	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	2	PA; GC
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	2	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	5	PA; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	5	LA; NDS; QL (60 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	2	PA; GC
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	2	PA; GC; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	2	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS; QL (400 per 365 days)
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab s/f, gluten-free (rx) 27 mg iron- 1 mg</i>	3	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A		
abacavir	45	
abacavir-lamivudine	45	
abacavir-lamivudine-zidovudine	45	
ABELCET	34	
ABILIFY MAINTENA.....	41	
ABILIFY MYCITE.....	41, 42	
abiraterone	16	
ABRAXANE.....	16	
acamprosate	8	
acarbose.....	31	
acebutolol	58	
acetaminophen-codeine	3	
acetazolamide	103	
acetazolamide sodium	103	
acetic acid.....	80, 100	
acetylcysteine	109	
acitretin.....	73	
ACTEMRA	92	
ACTEMRA ACTPEN.....	92	
ACTHAR	102	
ACTHIB (PF).....	96	
ACTIMMUNE	102	
acyclovir	49, 73	
acyclovir sodium	49	
ADACEL(TDAP ADOLESN/ADULT)(PF) .	96, 97	
ADAGEN	78	
adapalene.....	77	
adefovir.....	49	
ADEMPAS.....	111	
adriamycin.....	16	
adrucil.....	16	
ADVAIR DISKUS.....	107	
ADVAIR HFA	107	
afeditab cr	61	
AFINITOR	16	
AFINITOR DISPERZ	16	
afirmelle.....	67	
a-hydrocort	88	
AIMOVIG AUTOINJECTOR	37	
AIMOVIG AUTOINJECTOR (2 PACK).....	37	
AJOVY	37	
AKYNZEO (FOSNETUPITANT)	38	
AKYNZEO (NETUPITANT)	38	
ala-cort.....	75	
ala-scalp.....	75	
albendazole.....	39	
albuterol sulfate	108	
alcaine.....	79	
alclometasone	75	
ALCOHOL PADS.....	73	
ALDURAZYME	78	
ALECENSA	16	
alendronate	100	
alfuzosin	86	
ALIMTA	16	
ALINIA	39, 40	
ALIQOPA	16	
aliskiren	63	
allopurinol	36	
alosetron	99	
ALPHAGAN P.....	103	
alprazolam	8, 9	
ALREX.....	82	
altavera (28).....	67	
ALTRENO	77	
ALUNBRIG	16	
alyacen 1/35 (28).....	67	
alyacen 7/7/7 (28).....	67	
alyq	111	
amabelz.....	87	
amantadine hcl.....	40	
AMBISOME.....	35	
ambrisentan.....	111	
amethia	68	
amethia lo	67	
amifostine crystalline.....	102	
amiloride.....	61	
amiloride-hydrochlorothiazide	61	
AMINOSYN 10 %	52	
AMINOSYN 7 % WITH ELECTROLYTES.....	52	
AMINOSYN 8.5 %	53	
AMINOSYN 8.5 %- ELECTROLYTES.....	53	
AMINOSYN II 10 %.....	53	
AMINOSYN II 15 %.....	53	
AMINOSYN II 7 %.....	53	
AMINOSYN II 8.5 %.....	53	
AMINOSYN II 8.5 %- ELECTROLYTES.....	53	
AMINOSYN M 3.5 %.....	53	
AMINOSYN-HBC 7%.....	53	
AMINOSYN-PF 10 %	53	
AMINOSYN-PF 7 % (SULFITE-FREE)	53	
AMINOSYN-RF 5.2 %	53	
amiodarone	57	
AMITIZA	84	
amitriptyline	29	
amitriptyline-chlordiazepoxide	29	
amlodipine	61	
amlodipine-atorvastatin	62	
amlodipine-benazepril	61	
amlodipine-olmesartan	61	

amlodipine-valsartan	61	atovaquone.....	40	BD VEO INSULIN SYR HALF	
amlodipine-valsartan-hcthiamid		atovaquone-proguanil	40	UNIT.....	78
.....	61	ATRIPLA	45	BD VEO INSULIN SYRINGE	
ammonium lactate	73	atropine.....	25, 79	UF	78
amoxapine	29	ATROVENT HFA	108	bekyree (28).....	68
amoxicil-clarithromy-lansopraz		AUBAGIO.....	64	BELEODAQ.....	16
.....	83	aubra	68	BELSOMRA	111
amoxicillin.....	13, 14	aurovela 1.5/30 (21)	68	benazepril	57
amoxicillin-pot clavulanate	14	aurovela 1/20 (21)	68	benazepril-hydrochlorothiazide	
amphotericin b.....	35	aurovela 24 fe	68	57
ampicillin.....	14	aurovela fe 1.5/30 (28)	68	BENDEKA	17
ampicillin sodium.....	14	aurovela fe 1-20 (28)	68	BENLYSTA	102
ampicillin-sulbactam	14	AUSTEDO	64	benztropine	40
ANADROL-50	87	AVASTIN	16	BEPREVE	79
anagrelide	52	aviane.....	68	BESPONSA.....	17
anastrozole.....	16	AVONEX	64	betamethasone acet,sod phos..	88
ANORO ELLIPTA	108	AVONEX (WITH ALBUMIN)		betamethasone dipropionate ...	75
APOKYN	40	64	betamethasone valerate.....	75
apraclonidine	79	ayuna	68	betamethasone, augmented....	75,
aprepitant.....	38	azacitidine.....	16	76	
apri.....	68	azathioprine	92	BETASERON.....	64
APRISO.....	99	azathioprine sodium	92	betaxolol	58, 104
APTIOM.....	25	azelastine	79	bethanechol chloride.....	86
APTIVUS	45	azithromycin.....	13	BETHKIS	10
aranelle (28).....	68	AZOPT	104	BEVYXXA.....	50
ARCALYST.....	92	aztreonam	13	bexarotene.....	17
aripiprazole.....	42	azurette (28).....	68	BEXSERO	97
ARISTADA.....	42	B		bicalutamide	17
ARISTADA INITIO	42	baciim	10	BICILLIN L-A	14
armodafinil	111	bacitracin	10, 80	BIDIL	64
ARNUITY ELLIPTA.....	107	bacitracin-polymyxin b.....	80	BIKTARVY	45
arsenic trioxide	16	baclofen	110	bimatoprost.....	104
ascomp with codeine	3	balsalazide	99	bisoprolol fumarate.....	58
ashlyna.....	68	BALVERSA	16	bisoprolol-hydrochlorothiazide	
aspirin-dipyridamole	52	balziva (28).....	68	58
ASSURE ID INSULIN		BANZEL	25	bleomycin	17
SAFETY.....	77	BAVENCIO	16	bleph-10.....	80
atazanavir	45	BAXDELA.....	14	BLINCYTO	17
atenolol.....	58	BCG VACCINE, LIVE (PF)..	97	blisovi 24 fe	68
atenolol-chlorthalidone.....	58	BD ULTRA-FINE NANO PEN		blisovi fe 1.5/30 (28)	68
atomoxetine	64	NEEDLE	77	blisovi fe 1/20 (28)	68
atorvastatin	62			BOOSTRIX TDAP.....	97

BORTEZOMIB	17	camila	68	cefuroxime axetil	12
bosentan.....	111	candesartan	56	cefuroxime sodium	12
BOSULIF	17	candesartan-hydrochlorothiazid		celecoxib.....	6
BRAFTOVI.....	17	56	CELONTIN	26
BREO ELLIPTA	107	capacet.....	3	cephalexin.....	12, 13
briellyn	68	CAPASTAT	38	CEPROTIN (BLUE BAR).....	50
BRILINTA	52	CAPRELSA.....	17	CERDELGA.....	78
brimonidine	104	captopril.....	57	CEREZYME.....	78
BRIVIACT	25	captopril-hydrochlorothiazide	57	CETYLEV	102
bromfenac.....	82	CARAFATE.....	83	cevimeline.....	73
bromocriptine	40	CARBAGLU	84	CHANTIX	8
BROMSITE.....	82	carbamazepine	25, 26	CHANTIX CONTINUING	
budesonide.....	99, 107	carbidopa	40	MONTH BOX.....	8
bumetanide	61	carbidopa-levodopa	40	CHANTIX STARTING	
buprenorphine.....	3	carbidopa-levodopa-entacapone		MONTH BOX.....	8
buprenorphine hcl.....	3, 8	41	chloramphenicol sod succinate	
buprenorphine-naloxone.....	8	carbinoxamine maleate.....	36	10
bupropion hcl.....	29	carboplatin	17	chlordiazepoxide hcl.....	9
bupropion hcl (smoking deter) .	8	CARIMUNE NF		chlorhexidine gluconate.....	73
buspirone	9	NANOFILTERED.....	93	chloroquine phosphate.....	40
butalbital compound w/codeine	3	carisoprodol	110	chlorothiazide	61
butalbital compound-codeine ...	3	carteolol	104	chlorothiazide sodium	61
butalbital-acetaminop-caf-cod..	3	cartia xt.....	59	chlorpromazine	42
butalbital-acetaminophen	3	carvedilol	58	chlorthalidone	61
butalbital-acetaminophen-caff..	3	caspofungin	35	chlorzoxazone.....	111
butalbital-aspirin-caffeine	3	CAYSTON	13	cholestyramine (with sugar) ...	62
butorphanol tartrate	3	caziant (28)	68	cholestyramine light	62
BYSTOLIC	58	cefaclor	11, 12	ciclopirox	35
BYVALSON	58	cefadroxil.....	12	cidofovir	49
C		cefazolin	12	cilostazol.....	52
cabergoline	40	cefazolin in dextrose (iso-os) .	12	CILOXAN	80
CABLIVI.....	102	cefdinir.....	12	CIMDUO	45
CABOMETYX.....	17	cefditoren pivoxil	12	cimetidine	83
caffeine citrate	64, 65	cefepime	12	cimetidine hcl	83
calcipotriene	74	cefixime	12	CIMZIA	93
calcitonin (salmon).....	100	cefotaxime	12	CIMZIA POWDER FOR	
calcitrene	74	cefoxitin.....	12	RECONST	93
calcitriol.....	74, 100	cefopodoxime	12	cinacalcet	100
calcium acetate	85	cefprozil.....	12	CINQAIR	110
calcium chloride	104, 105	ceftazidime	12	CINRYZE.....	51
CALDOLOR	6	ceftibuten	12	CINVANTI.....	38
CALQUENCE.....	17	ceftriaxone	12	CIPRODEX	80

ciprofloxacin.....	15	CLINIMIX E 5%/D15W		COTELLIC.....	17
ciprofloxacin (mixture)	14	SULFIT FREE.....	54	CREON.....	78
ciprofloxacin hcl.....	14, 15, 80	CLINIMIX E 5%/D20W		CRIXIVAN.....	45
ciprofloxacin in 5 % dextrose.	15	SULFIT FREE.....	54	cromolyn.....	80, 84, 110
ciprofloxacin lactate	15	CLINIMIX E 5%/D25W		cryselle (28).....	68
citalopram.....	29	SULFIT FREE.....	54	cyclafem 1/35 (28).....	68
cladribine.....	17	clobazam.....	9	cyclafem 7/7/7 (28).....	68
clarithromycin	13	clobetasol.....	76	cyclobenzaprine.....	111
clemastine.....	36	clobetasol-emollient	76	cyclopentolate.....	80
CLENPIQ.....	85	clocortolone pivalate	76	cyclophosphamide	17
clindamycin hcl	10	clofarabine	17	CYCLOPHOSPHAMIDE	17
clindamycin in 5 % dextrose ..	10	clomipramine.....	29	cyclosporine.....	93
clindamycin palmitate hcl	10	clonazepam.....	9	cyclosporine modified	93
clindamycin phosphate	11, 37, 74, 75	clonidine	55, 56	cyproheptadine	36
clindamycin-benzoyl peroxide	75	clonidine hcl	55, 65	CYRAMZA	17
CLINIMIX 5%/D15W		clopidogrel.....	52	cyred	68
SULFITE FREE.....	53	clorazepate dipotassium	9	cyred eq	68
CLINIMIX 5%/D25W		clorpres	56	CYSTARANE.....	102
SULFITE-FREE.....	53	clotrimazole.....	35	CYSTARAN.....	80
CLINIMIX 2.75%/D5W		clotrimazole-betamethasone...35		D	
SULFIT FREE.....	53	clovique	86	d10 %-0.45 % sodium chloride	
CLINIMIX 4.25%/D10W SULF		clozapine.....	42	105
FREE	53	COARTEM	40	d5 % and 0.9 % sodium chloride	
CLINIMIX 4.25%/D5W		codeine sulfate.....	3	105
SULFIT FREE.....	53	colchicine.....	36	d5 %-0.45 % sodium chloride	
CLINIMIX 4.25%-D20W		colesevelam	62	105
SULF-FREE	54	colestipol	62	DAKLINZA	48
CLINIMIX 4.25%-D25W		colistin (colistimethate na)	11	dalfampridine.....	65
SULF-FREE	54	colocort.....	100	DALIRESP.....	110
CLINIMIX 5%-		COMBIGAN	104	danazol.....	87
D20W(SULFITE-FREE) ...	54	COMBIVENT RESPIMAT .	108	dantrolene	111
CLINIMIX E 2.75%/D10W		COMETRIQ	17	dapsone	38
SUL FREE.....	54	COMPLERA	45	DAPTACEL (DTAP	
CLINIMIX E 2.75%/D5W		compro.....	39	PEDIATRIC) (PF).....	97
SULF FREE	54	constulose	84	daptomycin	11
CLINIMIX E 4.25%/D10W		COPAXONE	65	DARAPRIM.....	40
SUL FREE.....	54	COPIKTRA	17	DARZALEX.....	17
CLINIMIX E 4.25%/D25W		CORLANOR.....	60	dasetta 1/35 (28)	68
SUL FREE.....	54	cormax	76	dasetta 7/7/7 (28)	68
CLINIMIX E 4.25%/D5W		cortisone	88	DAURISMO.....	17
SULF FREE	54	COSENTYX (2 SYRINGES) 74		daysee	68
		COSENTYX PEN (2 PENS)..	74	deblitane	69

decadron	88	dextrose 50 % in water (d50w)	55	dotti.....	87
decitabine	17	55	DOVATO	45
deferasirox.....	86	dextrose 70 % in water (d70w)	55	doxazosin.....	56
deferroxamine.....	86	55	doxepin	29
DELSTRIGO.....	45	DIASTAT	9	doxercalciferol.....	100
delyla (28)	69	DIASTAT ACUDIAL.....	9	doxorubicin.....	18
demeclocycline.....	15	diazepam.....	9	doxorubicin, peg-liposomal....	18
DEMSEER.....	60	diazepam intensol.....	9	doxy-100.....	15
DENAVIR.....	74	diclofenac epolamine.....	6	doxycycline hyclate	15
DEPEN TITRATABS	86	diclofenac potassium.....	6	doxycycline monohydrate	15
DEPO-PROVERA	92	diclofenac sodium.....	6, 82	dronabinol.....	39
DESCOVY	45	diclofenac-misoprostol	6	droperidol	102
desipramine	29	dicloxacillin.....	14	drosiprenone-ethinyl estradiol	69
desmopressin	89, 90	dicyclomine	84	DROXIA.....	18
desog-e.estradiol/e.estradiol...	69	didanosine.....	45	DUAVEE.....	87
desogestrel-ethinyl estradiol...	69	DIFICID	13	DUEXIS	6
desonide.....	76	diflorasone	76	DULERA	107
desoximetasone	76	diflunisal.....	6	duloxetine	29
desvenlafaxine succinate	29	digitek.....	60	DUPIXENT	74, 93
dexamethasone	88	digox.....	60	DUREZOL	82
dexamethasone sodium phos		digoxin.....	60	dutasteride.....	86
(pf).....	88	DIGOXIN.....	60	dutasteride-tamsulosin	86
dexamethasone sodium		dihydroergotamine.....	37	E	
phosphate.....	82, 89	DILANTIN.....	26	econazole	35
DEXILANT.....	83	diltiazem hcl	59	EDARBI	56
dexmethylphenidate	65	dilt-xr.....	59	EDARBYCLOR.....	56
dexrazoxane hcl.....	102	dimenhydrinate.....	39	EDURANT	45
dextroamphetamine	65	DIPENTUM	100	efavirenz	45
dextroamphetamine-		diphenhydramine hcl	36	ELAPRASE.....	78
amphetamine	65	diphenoxylate-atropine.....	84	electrolyte-48 in d5w	105
dextrose 10 % in water (d10w)		dipyridamole.....	52	ELIGARD.....	18
.....	54	disopyramide phosphate	57	ELIGARD (3 MONTH)	18
dextrose 20 % in water (d20w)		disulfiram.....	8	ELIGARD (4 MONTH)	18
.....	54	divalproex.....	26	ELIGARD (6 MONTH)	18
dextrose 25 % in water (d25w)		docetaxel.....	17	elinest.....	69
.....	54	dofetilide.....	57	eliphos.....	85
dextrose 30 % in water (d30w)		donepezil	28	ELIQUIS.....	50
.....	54	DOPTELET (10 TAB PACK)51		ELITEK	78
dextrose 40 % in water (d40w)		DOPTELET (15 TAB PACK)51		elixophyllin.....	109
.....	54	DOPTELET (30 TAB PACK)51		ELLA	69
dextrose 5 % in water (d5w) ..	55	dorzolamide.....	104	ELMIRON.....	102
		dorzolamide-timolol	104	EMBEDA	3

EMCYT	18	ERLEADA	18	famotidine (pf).....	83
EMEND.....	39	erlotinib	18	famotidine (pf)-nacl (iso-os).....	83
EMEND (FOSAPREPITANT)		errin	69	FANAPT.....	42
.....	39	ertapenem	13	FARYDAK.....	18
EMFLAZA	89	ery pads.....	75	FASENRA	110
EMGALITY PEN	37	erythromycin	13, 80	FASENRA PEN	110
EMGALITY SYRINGE.....	37	erythromycin ethylsuccinate... 13		febuxostat	36
emoquette	69	erythromycin with ethanol..... 75		felbamate	26
EMPLICITI	18	erythromycin-benzoyl peroxide		felodipine.....	61
EMSAM	29	75	FEMRING	88
EMTRIVA.....	45	ESBRIET.....	110	femynor.....	69
enalapril maleate	57	escitalopram oxalate	29	fenofibrate.....	62
enalaprilat	57	esmolol	58	fenofibrate micronized.....	62
enalapril-hydrochlorothiazide 57		esomeprazole sodium	83	fenofibrate nanocrystallized ...	62
ENBREL	93	estarylla	69	fenofibric acid.....	62
ENBREL MINI	93	estazolam.....	9	fenofibric acid (choline)	62
ENBREL SURECLICK.....	93	estradiol	87, 88	fenopropfen.....	6
ENDARI.....	102	estradiol valerate.....	88	fentanyl.....	4
endocet	3	estradiol-norethindrone acet... 88		fentanyl citrate	3
ENGERIX-B (PF)	97	estropipate	88	FERRIPROX	86, 87
ENGERIX-B PEDIATRIC (PF)		eszopiclone	111	FETZIMA.....	29, 30
.....	97	ethambutol	38	FIASP FLEXTOUCH U-100	
enoxaparin	50	ethosuximide	26	INSULIN	33
enpresse	69	ethynodiol diac-eth estradiol .. 69		FIASP U-100 INSULIN	33
enskyce.....	69	etidronate disodium	100	finasteride	86
entacapone.....	41	etodolac	6	FIRAZYR.....	60
entecavir	49	ETOPOPHOS	18	FIRVANQ	11
ENTRESTO	56	etoposide.....	18	flavoxate	86
enulose.....	84	EUCRISA	76	FLEBOGAMMA DIF	93
EPCLUSA	48	EVENITY.....	100, 101	flecainide	57
EPIDIOLEX.....	26	EVOTAZ.....	46	FLOVENT DISKUS	107
epinastine.....	80	exemestane	18	FLOVENT HFA.....	108
epinephrine	60	EXONDYS 51	102	floxuridine	18
epitol.....	26	EXTAVIA	65	fluconazole	35
EPIVIR HBV.....	46	EZALLOR SPRINKLE.....	62	fluconazole in nacl (iso-osm) .35	
eplerenone	63	ezetimibe	62	flucytosine	35
EPOGEN	51	ezetimibe-simvastatin.....	62	fludrocortisone.....	89
epoprostenol (glycine).....	111	F		flumazenil	65
eprosartan	56	FABRAZYME	78	flunisolide.....	82
ergoloid.....	102	falmina (28).....	69	fluocinolone.....	76
ERGOMAR.....	37	famciclovir.....	49	fluocinolone acetonide oil	82
ERIVEDGE.....	18	famotidine.....	83	fluocinonide.....	76

fluocinonide-e.....	76	GAMMAPLEX (WITH	GRALISE	26
fluorometholone	82	SORBITOL)	GRALISE 30-DAY STARTER	
fluorouracil	18, 74	GAMUNEX-C.....	PACK	26
fluoxetine.....	30	ganciclovir sodium	granisetron (pf)	39
fluphenazine decanoate	42	GARDASIL 9 (PF).....	granisetron hcl	39
fluphenazine hcl	42, 43	gatifloxacin.....	GRANIX.....	51
flurazepam	9	GATTEX 30-VIAL	griseofulvin microsize	35
flurbiprofen.....	6	GAUZE PAD	griseofulvin ultramicrosize.....	35
flurbiprofen sodium.....	82	gavilyte-c	guanfacine.....	56, 65
flutamide.....	18	gavilyte-g.....	guanidine	102
fluticasone propionate	76, 82	gavilyte-n.....	H	
fluticasone propion-salmeterol		GAZYVA	HAEGARDA.....	51
.....	108	gemcitabine	hailey	69
fluvastatin	62	gemfibrozil	hailey 24 fe	69
fluvoxamine.....	30	generlac	halobetasol propionate.....	76
fomepizole.....	102	engraf.....	haloperidol.....	43
fondaparinux.....	50	GENOTROPIN	haloperidol decanoate.....	43
FORTEO	101	GENOTROPIN MINIQUICK	haloperidol lactate	43
fosamprenavir.....	46	gentak	HARVONI.....	48
fosaprepitant	39	gentamicin	HAVRIX (PF)	97
foscarnet	48	10, 75, 80	heather	69
fosinopril	57	gentamicin in nacl (iso-osm) ..	heparin (porcine)	50
fosinopril-hydrochlorothiazide		10	heparin, porcine (pf)	50
.....	57	gentamicin sulfate (ped) (pf) ..	HEPATAMINE 8%	55
fosphenytoin	26	10	HERCEPTIN	19
FREAMINE HBC 6.9 %	55	GENVOYA	HERCEPTIN HYLECTA	19
FREAMINE III 10 %	55	GEODON	HETLIOZ	111
FULPHILA.....	51	gildagia	HEXALEN	19
fulvestrant.....	18	GILENYA	HIBERIX (PF).....	97
furosemide.....	61	GILOTRIF.....	HUMATROPE	90
FUZEON	46	glatiramer.....	HUMIRA	94
fyavolv.....	88	glatopa	HUMIRA PEDIATRIC	
FYCOMPA	26	GLEOSTINE	CROHNS START	94
G		glimepiride.....	HUMIRA PEN	94
gabapentin	26	glipizide.....	HUMIRA PEN CROHNS-UC-	
GALAFOLD	78	glipizide-metformin.....	HS START	94
galantamine	28	GLUCAGEN HYPOKIT	HUMIRA PEN PSOR-UEVITS-	
GAMASTAN S/D	93	glyburide.....	ADOL HS	94
GAMMAGARD LIQUID	93	glyburide micronized.....	HUMIRA(CF)	94
GAMMAGARD S-D (IGA < 1		glyburide-metformin	HUMIRA(CF) PEDI CROHNS	
MCG/ML)	93	glycopyrrolate.....	STARTER	94
GAMMAPLEX	93	glydo.....	HUMIRA(CF) PEN.....	94
		GLYXAMBI		
		GOCOVRI.....		

HUMIRA(CF) PEN CROHNS-UC-HS.....	94	ILUMYA.....	94	IONOSOL-MB IN D5W.....	105
HUMIRA(CF) PEN PSOR-UV-ADOL HS.....	94	imatinib.....	19	IPOL.....	97, 98
HUMULIN R U-500 (CONC) INSULIN.....	33	IMBRUVICA.....	19	ipratropium bromide.....	80, 109
HUMULIN R U-500 (CONC) KWIKPEN.....	33	IMFINZI.....	19	IPRIVASK.....	50
hydralazine.....	60	imipenem-cilastatin.....	13	irbesartan.....	56
hydrochlorothiazide.....	61	imipramine hcl.....	30	irbesartan-hydrochlorothiazide.....	56
hydrocodone-acetaminophen ...	4	imipramine pamoate.....	30	IRESSA.....	20
hydrocodone-ibuprofen.....	4	imiquimod.....	74	irinotecan.....	20
hydrocortisone....	76, 77, 89, 100	IMLYGIC.....	19	ISENTRESS.....	46
hydrocortisone butyrate.....	76	IMOGAM RABIES-HT (PF).....	94	ISENTRESS HD.....	46
hydrocortisone butyr-emollient.....	76	IMOVAX RABIES VACCINE (PF).....	97	isibloom.....	69
hydrocortisone valerate.....	77	IMPAVIDO.....	40	ISOLYTE-P IN 5 % DEXTROSE.....	105
hydrocortisone-acetic acid.....	80	INBRIJA.....	41	ISOLYTE-S.....	105
hydromorphone.....	4	incassia.....	69	isoniazid.....	38
hydromorphone (pf).....	4	INCRELEX.....	90	isosorbide dinitrate.....	64
hydroxychloroquine.....	40	INCRUSE ELLIPTA.....	109	isosorbide mononitrate.....	64
hydroxyprogesterone cap(ppres).....	92	indapamide.....	61	isradipine.....	61
hydroxyurea.....	19	indomethacin.....	6	itraconazole.....	35
hydroxyzine hcl.....	36, 37	indomethacin sodium.....	6	ivermectin.....	40
hydroxyzine pamoate.....	102	INFANRIX (DTAP) (PF).....	97	IXEMPRA.....	20
HYPERRAB (PF).....	94	INFLECTRA.....	95	IXIARO (PF).....	98
HYPERRAB S/D (PF).....	94	INFUGEM.....	19	J	
HYQVIA.....	94	INGREZZA.....	65	JADENU.....	87
HYSINGLA ER.....	4	INGREZZA INITIATION PACK.....	65	JADENU SPRINKLE.....	87
I		INLYTA.....	19	JAKAFI.....	20
ibandronate.....	101	INREBIC.....	20	jantoven.....	50
IBRANCE.....	19	INSULIN SYRINGE-NEEDLE U-100.....	78	JANUMET.....	31
ibu.....	6	INTELENCE.....	46	JANUMET XR.....	31
ibuprofen.....	6	INTRALIPID.....	55	JANUVIA.....	31
icatibant.....	60	INTRON A.....	49	JARDIANCE.....	31
ICLUSIG.....	19	introvale.....	69	jasmiel (28).....	69
IDHIFA.....	19	INVEGA SUSTENNA.....	43	jencycla.....	69
ifosfamide.....	19	INVEGA TRINZA.....	43	JENTADUETO.....	31
ifosfamide-mesna.....	19	INVELTYS.....	82	JENTADUETO XR.....	31, 32
ILARIS (PF).....	94	INVIRASE.....	46	jinteli.....	88
ILEVRO.....	82	INVOKAMET.....	31	jolivette.....	69
		INVOKAMET XR.....	31	juleber.....	69
		INVOKANA.....	31	JULUCA.....	46
		IONOSOL-B IN D5W.....	105	junel 1.5/30 (21).....	69
				junel 1/20 (21).....	69

june fe 1.5/30 (28).....	69
june fe 1/20 (28).....	69
june fe 24.....	69
JUXTAPID.....	63
JYNARQUE.....	61, 62
K	
KABIVEN.....	55
KALETRA.....	46
kalliga.....	69
KALYDECO.....	110
KANJINTI.....	20
KANUMA.....	78
kariva (28).....	70
KAZANO.....	32
KEDRAB (PF).....	95
kelnor 1/35 (28).....	70
kelnor 1-50.....	70
ketoconazole.....	35
ketoprofen.....	6
ketorolac.....	6, 7, 82
KEVEYIS.....	102
KEVZARA.....	95
KEYTRUDA.....	20
kimidess (28).....	70
KINERET.....	95
KINRIX (PF).....	98
kionex (with sorbitol).....	84
KISQALI.....	20
KISQALI FEMARA CO-PACK	20
klor-con m10.....	105
klor-con m15.....	105
klor-con m20.....	105
klor-con sprinkle.....	105
KORLYM.....	32
KRINTAFEL.....	40
KRYSTEXXA.....	78
kurvelo (28).....	70
KUVAN.....	78
KYNAMRO.....	63
KYPROLIS.....	20

L

l norgest/e.estradiol-e.estrad... 70	
labetalol.....	58
LACTATED RINGERS.....	100
lactulose.....	84
lamivudine.....	46
lamivudine-zidovudine.....	46
lamotrigine.....	26, 27
lansoprazole.....	83
lanthanum.....	85
LANTUS SOLOSTAR U-100 INSULIN.....	33
LANTUS U-100 INSULIN.....	33
larin 1.5/30 (21).....	70
larin 1/20 (21).....	70
larin 24 fe.....	70
larin fe 1.5/30 (28).....	70
larin fe 1/20 (28).....	70
larissia.....	70
latanoprost.....	104
LATUDA.....	43
LAZANDA.....	4
ledipasvir-sofosbuvir.....	48
leena 28.....	70
leflunomide.....	95
LEMTRADA.....	65
LENVIMA.....	20
lessina.....	70
letrozole.....	20
leucovorin calcium.....	102
LEUKERAN.....	20
LEUKINE.....	51
leuprolide.....	20
levalbuterol tartrate.....	109
levetiracetam.....	27
levetiracetam in nacl (iso-os).....	27
levobunolol.....	104
levocarnitine.....	102
levocarnitine (with sugar).....	102
levocetirizine.....	37
levofloxacin.....	15, 80
levofloxacin in d5w.....	15

levoleucovorin calcium.....	103
LEVOLEUCOVORIN CALCIUM.....	103
levonest (28).....	70
levonorgestrel-ethinyl estrad ..	70
levonorg-eth estrad triphasic ..	70
levora-28.....	70
levothyroxine.....	92
LEXIVA.....	46
LIALDA.....	100
LIBTAYO.....	20
lidocaine.....	7
lidocaine (pf).....	7, 58
lidocaine hcl.....	7
lidocaine viscous.....	7
lidocaine-prilocaine.....	7
lillow (28).....	70
linezolid.....	11
linezolid in dextrose 5%.....	11
linezolid-0.9% sodium chloride	11
LINZESS.....	84
liothyronine.....	92
lisinopril.....	57
lisinopril-hydrochlorothiazide	57
lithium carbonate.....	65, 66
lithium citrate.....	66
LIVALO.....	63
LOKELMA.....	84
LONHALA MAGNAIR STARTER.....	109
LONSURF.....	20
loperamide.....	84
lopinavir-ritonavir.....	46
lorazepam.....	9
LORBRENA.....	20
lorcet (hydrocodone).....	4
lorcet hd.....	4
lorcet plus.....	4
loryna (28).....	70
losartan.....	56
losartan-hydrochlorothiazide ..	56

LOTEMAX	82	MAVENCLAD (6 TABLET PACK)	66	methotrexate sodium (pf)	21
LOTEMAX SM.....	82	MAVENCLAD (7 TABLET PACK)	66	methoxsalen.....	74
loteprednol etabonate	82	MAVENCLAD (8 TABLET PACK)	66	methscopolamine.....	84
lovastatin	63	MAVENCLAD (9 TABLET PACK)	66	methylclothiazide.....	62
low-ogestrel (28)	70	MAVYRET	48	methylergonovine.....	103
loxapine succinate	43	MAYZENT	66	methylphenidate hcl.....	66, 67
lo-zumandimine (28)	70	MAYZENT STARTER PACK	66	methylprednisolone	89
LUCEMYRA	8	meclizine	39	methylprednisolone acetate	89
LUMIGAN.....	104	medroxyprogesterone	92	methylprednisolone sodium succ	89
LUMOXITI.....	20	mefenamic acid.....	7	metipranolol.....	104
LUPRON DEPOT	21	mefloquine.....	40	metoclopramide hcl	84
LUPRON DEPOT (3 MONTH)	21	megestrol	21, 92	metolazone.....	62
LUPRON DEPOT (4 MONTH)	21	MEKINIST	21	metoprolol succinate.....	58
LUPRON DEPOT (6 MONTH)	21	MEKTOVI.....	21	metoprolol ta-hydrochlorothiaz	58
LUPRON DEPOT-PED	90	meloxicam	7	metoprolol tartrate	58, 59
LUPRON DEPOT-PED (3 MONTH).....	90	melphalan hcl	21	metronidazole	11, 37, 75
lutera (28).....	70	memantine	28	metronidazole in nacl (iso-os)	11
LYNPARZA.....	21	MENACTRA (PF)	98	mexiletine	58
LYRICA.....	27	MENEST	88	MIACALCIN	101
LYSODREN.....	21	MENVEO A-C-Y-W-135-DIP (PF).....	98	miconazole-3	35
lyza	70	MEPSEVII.....	78	microgestin 1.5/30 (21)	70
M		mercaptapurine.....	21	microgestin 1/20 (21)	71
magnesium sulfate.....	105	meropenem	13	microgestin fe 1.5/30 (28)	71
magnesium sulfate in d5w....	105	mesalamine.....	100	microgestin fe 1/20 (28)	71
magnesium sulfate in water..	105	mesna.....	103	midazolam	9
malathion.....	77	MESNEX.....	103	midodrine.....	56
maprotiline	30	metadate er	66	miglitol	32
marlissa (28).....	70	metaproterenol.....	109	miglustat	78
MARPLAN	30	metformin	32	mili.....	71
MARQIBO	21	methadone	4	milrinone.....	60
MATULANE	21	methadose.....	4	milrinone in 5 % dextrose.....	60
matzim la.....	59	methazolamide.....	104	mimvey lo	88
MAVENCLAD (10 TABLET PACK).....	66	methenamine hippurate	11	minitran.....	64
MAVENCLAD (4 TABLET PACK).....	66	methimazole	92	MINOCIN.....	15
MAVENCLAD (5 TABLET PACK).....	66	methocarbamol	111	minocycline	15, 16
		methotrexate sodium	21	minoxidil.....	64
				mirtazapine	30
				misoprostol	83
				mitoxantrone.....	21
				M-M-R II (PF).....	98

moexipril	57	necon 0.5/35 (28).....	71	nora-be	71
moexipril-hydrochlorothiazide		nefazodone.....	30	NORDITROPIN FLEXPRO ..	90
.....	57	neomycin	10	norepinephrine bitartrate	60
molindone.....	43	neomycin-bacitracin-poly-hc..	81	norethindrone (contraceptive)	71
mometasone.....	77, 82	neomycin-bacitracin-polymyxin		norethindrone acetate.....	92
mondoxyne nl.....	16	81	norethindrone ac-eth estradiol	
mono-linyah	71	neomycin-polymyxin b gu.....	75	71, 88
mononessa (28)	71	neomycin-polymyxin b-		norethindrone-e.estradiol-iron	71
montelukast	108	dexameth	81	norgestimate-ethinyl estradiol	71
morphine.....	4	neomycin-polymyxin-		norlyda.....	71
MORPHINE	4	gramicidin.....	81	norlyroc.....	71
morphine concentrate	4	neomycin-polymyxin-hc	81	NORMOSOL-M IN 5 %	
MOVANTIK	84	neo-polycin.....	81	DEXTROSE	105
MOVIPREP	85	neo-polycin hc	81	NORMOSOL-R.....	105
MOXEZA.....	80	NEPHRAMINE 5.4 %	55	NORMOSOL-R PH 7.4.....	106
moxifloxacin.....	15, 80	NERLYNX	21	NORTHERA	56
MOZOBIL.....	51	NESINA	32	nortrel 0.5/35 (28).....	71
MULPLETA.....	51	neuac.....	75	nortrel 1/35 (21).....	71
MULTAQ.....	58	NEULASTA	51	nortrel 1/35 (28).....	71
mupirocin	75	NEUPOGEN	51	nortrel 7/7/7 (28).....	71
MVASI.....	21	NEUPRO	41	nortriptyline	30
mycophenolate mofetil	95	nevirapine	46	NORVIR.....	46
mycophenolate mofetil hcl	95	NEXAVAR	21	NOVOLIN 70/30 U-100	
MYLOTARG	21	niacin	63	INSULIN	33
MYRBETRIQ	86	niacor	63	NOVOLIN 70-30 FLEXPEN U-	
myzilra.....	71	nicardipine.....	61	100	33
N		NICOTROL.....	8	NOVOLIN N NPH U-100	
nabumetone	7	nifedipine.....	61	INSULIN	33
nadolol.....	59	nikki (28).....	71	NOVOLIN R REGULAR U-	
nafcillin.....	14	nilutamide.....	21	100 INSULN	33
nafcillin in dextrose iso-osm ..	14	NINLARO	21	NOVOLOG FLEXPEN U-100	
NAGLAZYME.....	79	nitisinone	79	INSULIN	33
naloxone	8	NITRO-BID.....	64	NOVOLOG MIX 70-30 U-100	
naltrexone.....	8	nitrofurantoin macrocrystal ...	11	INSULN	33
NAMZARIC.....	28, 29	nitrofurantoin monohyd/m-cryst		NOVOLOG MIX 70-	
naproxen	7	11	30FLEXPEN U-100	33
naratriptan.....	37	nitroglycerin	64	NOVOLOG PENFILL U-100	
NARCAN.....	8	NITYR.....	79	INSULIN	33
NATACYN	80	NIVESTYM	51	NOVOLOG U-100 INSULIN	
nateglinide	32	nizatidine	83	ASPART.....	33
NATPARA.....	101	NOCDURNA (MEN).....	90	NOXAFIL.....	35
NEBUPENT	40	NOCDURNA (WOMEN).....	90	NPLATE.....	103

NUBEQA	21	OPSUMIT	111	paroxetine hcl	30
NUCALA	110	oralone	73	PASER.....	38
NUCYNTA	5	ORENCIA	95	PAXIL	30
NUCYNTA ER	5	ORENCIA (WITH MALTOSE)		PEDIARIX (PF)	98
NUEDEXTA	67	95	PEDVAX HIB (PF).....	98
NULOJIX.....	95	ORENCIA CLICKJECT	95	peg 3350-electrolytes.....	85
NUPLAZID	43	ORENITRAM	111	PEGANONE.....	27
NUTRILIPID	55	ORFADIN	79	PEGASYS	49
NUTROPIN AQ NUSPIN	90	ORLISSA	91	PEGASYS PROCLICK.....	49
NUVARING.....	71	ORKAMBI	110	PEGINTRON	49
nyamyc	36	orsythia	71	PEN NEEDLE, DIABETIC ...	78
nystatin	36	oseltamivir	48	penicillamine	87
nystatin-triamcinolone.....	36	OSENI	32	penicillin g potassium.....	14
nystop	36	OSMOLEX ER.....	41	penicillin g procaine	14
O		OTEZLA	95	penicillin v potassium.....	14
OICALIVA	84	OTEZLA STARTER.....	95	PENNSAID	7
OCREVUS	67	OTREXUP (PF)	95	PENTACEL (PF).....	98
OCTAGAM.....	95	oxacillin.....	14	PENTACEL DTAP-IPV	
octreotide acetate.....	90, 91	oxaliplatin.....	22	COMPNT (PF)	98
ODEFSEY	46	oxandrolone.....	87	PENTAM.....	40
ODOMZO	21	oxazepam.....	9	pentamidine	40
OFEV	110	oxcarbazepine.....	27	pentoxifylline.....	52
ofloxacin.....	15, 81	OXTELLAR XR	27	PERIKABIVEN	55
ogestrel (28).....	71	oxybutynin chloride.....	86	perindopril erbumine	57
okebo	16	oxycodone	5	periogard.....	73
olanzapine.....	44	oxycodone-acetaminophen.....	5	PERJETA	22
olmesartan	56	oxycodone-aspirin	5	permethrin.....	77
olmesartan-amlodipin-hcthiazid		OXYCONTIN	5	perphenazine.....	44
.....	56	oxymorphone.....	5	perphenazine-amitriptyline.....	30
olmesartan-hydrochlorothiazide		OZEMPIC	32	PERSERIS	44
.....	56	P		pfizerpen-g.....	14
olopatadine	80	pacerone.....	58	phenadoz.....	39
OLUMIANT.....	95	paclitaxel	22	phenelzine.....	30
omega-3 acid ethyl esters	63	paliperidone	44	phenobarbital	27
omeprazole	83	PALYNZIQ.....	79	phenylephrine hcl	56, 80
OMNITROPE.....	91	pamidronate	101	phenytoin	27
ONCASPAR	21	PANRETIN	74	phenytoin sodium	27
ondansetron	39	pantoprazole	83	phenytoin sodium extended....	27
ondansetron hcl	39	paricalcitol	101	philith.....	71
ondansetron hcl (pf)	39	PARICALCITOL	101	PHOSLYRA	85
ONIVYDE.....	22	parox oral rinse	73	PICATO.....	74
OPDIVO.....	22	paromomycin.....	40	PIFELTRO	46

pilocarpine hcl	73, 104	potassium chloride-d5-0.9%nacl	106	PROCRIT	51, 52
pimecrolimus	77	106	procto-med hc	77
pimozide	44	potassium citrate.....	107	procto-pak.....	77
pimtrex (28)	71	POTELIGEO	22	proctosol hc	77
pindolol.....	59	PRADAXA.....	50	proctozone-hc	77
pioglitazone	32	PRALUENT PEN.....	63	PROCYSBI.....	79
piperacillin-tazobactam	14	pramipexole	41	progesterone	92
PIQRAY	22	prasugrel	52	progesterone micronized	92
pirmella.....	71	pravastatin	63	PROGLYCEM	103
piroxicam.....	7	prazosin	56	PROGRAF.....	95
PLASMA-LYTE 148	106	prednicarbate	77	PROLASTIN-C	110
PLASMA-LYTE A	106	prednisolone	89	PROLENSA	82
PLASMA-LYTE-56 IN 5 %		prednisolone acetate	82	PROLEUKIN	22
DEXTROSE	106	prednisolone sodium phosphate		PROLIA.....	101
PLEGRIDY	67	82, 89	PROMACTA.....	52
podofilox	74	prednisone	89	promethazine	37, 39
POLIVY	22	pregabalin	27	promethazine-phenylephrine ..	37
polycin.....	81	PREMARIN	88	promethegan	39
POLYETHYLENE GLYCOL		PREMPHASE	88	propafenone	58
3350(BULK)	85	PREMPRO	88	propantheline	25
polymyxin b sulfate.....	11	prenatal plus (calcium carb) .	112	proparacaine	80
polymyxin b sulf-trimethoprim		prenatal vitamin plus low iron		propranolol	59
.....	81	112	propranolol-hydrochlorothiazid	
POMALYST	22	PREPOPIK	85	59
portia 28.....	71	prevalite	63	propylthiouracil	92
PORTRAZZA	22	previfem.....	71	PROQUAD (PF).....	98
posaconazole	36	PREVYMIS.....	48	PROSOL 20 %	55
potassium chlorid-d5-0.45%nacl		PREZCOBIX.....	46	protamine	52
.....	106	PREZISTA	46	protriptyline	30
potassium chloride.....	106	PRIFTIN.....	38	PULMOZYME.....	79
potassium chloride in 0.9%nacl		PRIMAQUINE.....	40	PURIXAN	22
.....	106	primidone.....	27	pyrazinamide	38
potassium chloride in 5 % dex		PRIVIGEN	95	pyridostigmine bromide.....	103
.....	106	PROAIR HFA	109	Q	
potassium chloride in lr-d5...	106	PROAIR RESPICLICK	109	QUADRACEL (PF)	98
potassium chloride in water..	106	probenecid	36	quasense.....	71
potassium chloride-0.45 % nacl		probenecid-colchicine	36	quetiapine	44
.....	106	procainamide	58	quinapril.....	57
potassium chloride-d5-0.2%nacl		PROCALAMINE 3%.....	55	quinapril-hydrochlorothiazide	57
.....	106	prochlorperazine.....	39	quinidine gluconate	58
potassium chloride-d5-0.3%nacl		prochlorperazine edisylate.....	39	quinidine sulfate	58
.....	106	prochlorperazine maleate	39	quinine sulfate	40

QVAR.....	108	RIDAURA.....	96	sevelamer carbonate	85, 86
QVAR REDHALER.....	108	rifabutin	38	sevelamer hcl	86
R		rifampin	38	sharobel.....	72
RABAVERT (PF)	98	riluzole.....	67	SHINGRIX (PF).....	99
rabeprazole	83	rimantadine.....	48	SIGNIFOR.....	91
RADICAVA.....	67	RINVOQ ER	96	SIKLOS	52
raloxifene.....	88	risedronate	101	sildenafil (pulm.hypertension)	
ramipril	57	RISPERDAL CONSTA	44	111
ranitidine hcl.....	83	risperidone	44	SILENOR	111
ranolazine	60	ritonavir	47	SILIQ.....	74
rasagiline	41	RITUXAN	22	silver sulfadiazine.....	75
RASUVO (PF)	96	RITUXAN HYCELA.....	22	SIMBRINZA	104
RAVICTI.....	84	rivastigmine	29	simliya (28).....	72
RAYALDEE	101	rivastigmine tartrate.....	29	simpesse.....	72
REBIF (WITH ALBUMIN).....	67	rizatriptan.....	37	SIMPONI.....	96
REBIF REBIDOSE	67	ROCKLATAN	104	SIMPONI ARIA.....	96
REBIF TITRATION PACK ..	67	ropinirole	41	simvastatin.....	63
reclipsen (28).....	72	rosadan.....	75	sirolimus	96
RECOMBIVAX HB (PF)	98	rosuvastatin.....	63	SIRTURO	38
REGRANEX	74	ROTARIX	98	SKYRIZI	96
RELENZA DISKHALER	48	ROTATEQ VACCINE.....	98	smoflipid.....	55
RELISTOR.....	84	ROWEEPRA.....	27	sodium acetate	107
REMICADE	96	ROZLYTREK	22	sodium chloride	100, 107
RENFLEXIS	103	RUBRACA.....	22	sodium chloride 0.45 %	107
repaglinide.....	32	RYBELSUS.....	32	sodium chloride 0.9 %	107
repaglinide-metformin.....	32	RYDAPT	22	sodium lactate.....	107
REPATHA PUSHTRONEX..	63	S		sodium phenylbutyrate	84
REPATHA SURECLICK	63	SAIZEN.....	91	sodium phosphate	107
REPATHA SYRINGE.....	63	SAIZEN SAIZENPREP	91	sodium polystyrene sulfonate	84,
RESCRIPTOR.....	46, 47	SANDOSTATIN LAR DEPOT		85	
RESTASIS	83	91	sofosbuvir-velpatasvir	48
RETACRIT	52	SANTYL	74	SOLQUA 100/33	34
RETROVIR.....	47	SAPHRIS.....	44	soloxide.....	16
REVCovi	79	SAVELLA.....	67	SOLTAMOX	22
REVLIMID	22	scopolamine base.....	39	SOLU-CORTEF (PF).....	89
revonto.....	111	selegiline hcl.....	41	SOMATULINE DEPOT	91
REXULTI.....	44	selenium sulfide.....	75	SOMAVERT	91
REYATAZ	47	SELZENTRY	47	sorine	59
RHOPRESSA.....	104	SEREVENT DISKUS	109	sotalol	59
ribasphere	49	SEROSTIM	91	sotalol af	59
ribasphere ribapak	49	sertraline	30	SOVALDI.....	48
ribavirin	49	setlakin.....	72	spinosad	77

SPIRIVA RESPIMAT	109	SUTENT.....	23	taztia xt.....	59
SPIRIVA WITH		syeda.....	72	TDVAX.....	99
HANDIHALER.....	109	SYLATRON.....	49	TECENTRIQ.....	23
spironolactone	62	SYLVANT	23	TECFIDERA	67
spironolacton-hydrochlorothiaz		SYMBICORT.....	108	TECHNIVIE.....	48
.....	62	SYMDEKO	110	TEFLARO	13
SPRAVATO.....	30	SYMFI.....	47	TEKTURNAL HCT.....	63
sprintec (28).....	72	SYMFI LO	47	telmisartan	56
SPRITAM.....	27	SYMJEPI.....	60	telmisartan-amlodipine.....	56
SPRYCEL	22	SYMLINPEN 120	32	telmisartan-hydrochlorothiazid	
sps (with sorbitol).....	85	SYMLINPEN 60	32	56
sronyx	72	SYMPAZAN.....	9	temazepam.....	10
ssd.....	75	SYMTUZA.....	47	TEMIXYS	47
stavudine.....	47	SYNAGIS.....	48	TEMODAR	23
STELARA.....	96	SYNAREL.....	91	temsirolimus	23
STIMATE.....	91	SYNDROS	39	tencon	5
STIOLTO RESPIMAT	109	SYNERCID.....	11	TENIVAC (PF)	99
STIVARGA.....	23	SYNJARDY	32	tenofovir disoproxil fumarate.....	47
STRENSIQ.....	79	SYNJARDY XR.....	32	terazosin.....	86
streptomycin.....	10	SYNRIBO	23	terbinafine hcl.....	36
STRIBILD.....	47	T		terbutaline	109
STRIVERDI RESPIMAT	109	TABLOID	23	terconazole.....	37
SUBLOCADE.....	8	tacrolimus	96	testosterone	87
subvenite.....	28	tadalafil.....	112	testosterone cypionate	87
sucalfate	83	tadalafil (pulm. hypertension)		testosterone enanthate.....	87
sulfacetamide sodium.....	81	111	TETANUS,DIPHThERIA TOX	
sulfacetamide sodium (acne).....	75	TAFINLAR	23	PED(PF)	99
sulfacetamide-prednisolone.....	81	TAGRISSO	23	tetrabenazine.....	67
sulfadiazine.....	15	TAKHZYRO.....	103	tetracycline	16
sulfamethoxazole-trimethoprim		TALTZ AUTOINJECTOR	74	THALOMID.....	103
.....	15	TALTZ SYRINGE.....	74	theophylline	109
sulfasalazine	100	TALZENNA.....	23	THIOLA	103
sulfatrim	15	tamoxifen.....	23	THIOLA EC	103
sulindac.....	7	tamsulosin.....	86	thioridazine	44
sumatriptan	37	TARGRETIN	23	thiotepa	23
sumatriptan succinate	37, 38	tarina 24 fe.....	72	thiothixene	44
SUNOSI	111	tarina fe 1/20 (28).....	72	tiagabine	28
SUPPRELIN LA	91	TASIGNA	23	TIBSOVO.....	23
SUPRAX	13	TAVALLISSE.....	52	TICE BCG.....	99
SUPREP BOWEL PREP KIT	85	tazarotene.....	77	tigecycline.....	16
SURE COMFORT INS. SYR.		tazicef	13	tilia fe.....	72
U-100.....	78	TAZORAC	77	timolol maleate	59, 104

tinidazole	40	treprostinil sodium.....	112	TROPHAMINE 6%.....	55
TIVICAY	47	TRESIBA FLEXTOUCH U-100	34	trosopium.....	86
tizanidine	111	34	TRULANCE.....	85
TOBI PODHALER	10	TRESIBA FLEXTOUCH U-200	34	TRULICITY	32
tobramycin.....	81	34	TRUMENBA.....	99
tobramycin in 0.225 % nacl ...	10	TRESIBA U-100 INSULIN ...	34	TRUVADA.....	47
tobramycin in 0.9 % nacl.....	10	tretinoin	77	tulana	73
tobramycin sulfate	10	tretinoin (chemotherapy)	23	TURALIO.....	24
tobramycin with nebulizer.....	10	tri femynor	72	TWINRIX (PF).....	99
tobramycin-dexamethasone....	81	triamcinolone acetonide ..	73, 77, 89	TYBOST.....	103
TOLAK	74	triamterene-hydrochlorothiazid	62	TYKERB	24
tolazamide	34	62	TYMLOS.....	101
tolbutamide.....	34	triazolam.....	10	TYPHIM VI.....	99
tolmetin.....	7	trientine.....	87	TYSABRI.....	96
tolterodine.....	86	tri-estarylla.....	72	TYVASO.....	112
topiramate.....	28	trifluoperazine	44	U	
toposar	23	trifluridine.....	81	UCERIS	100
topotecan	23	trihexyphenidyl.....	41	UDENYCA.....	52
toremifene.....	23	TRIKAFTA	110	ULORIC	36
torsemide	62	tri-legest fe.....	72	UNITUXIN.....	24
TOTECT.....	103	tri-linyah	72	UPTRAVI.....	112
TOUJEO MAX U-300		tri-lo-estarylla	72	ursodiol	85
SOLOSTAR	34	tri-lo-marzia.....	72	V	
TOUJEO SOLOSTAR U-300		tri-lo-mili	72	valacyclovir	49
INSULIN	34	tri-lo-sprintec	72	VALCHLOR	74
TOVIAZ.....	86	trilyte with flavor packets.....	85	valganciclovir	49, 50
TRACLEER	112	trimethoprim.....	11	valproate sodium	28
TRADJENTA.....	32	tri-mili.....	72	valproic acid	28
tramadol.....	5	trimipramine	30	valproic acid (as sodium salt) .	28
tramadol-acetaminophen	5	trinessa (28).....	72	valrubicin.....	24
trandolapril	57	TRINTELLIX.....	30	valsartan.....	56
tranexamic acid	52	tri-previfem (28).....	72	valsartan-hydrochlorothiazide	56
TRANSDERM-SCOP	39	TRIPTODUR.....	91	VALSTAR.....	24
tranylcypromine	30	tri-sprintec (28).....	72	vancomycin.....	11
TRAVASOL 10 %	55	TRIUMEQ.....	47	VAQTA (PF).....	99
TRAVATAN Z	104	trivora (28).....	72	VARIVAX (PF).....	99
trazodone	30	tri-vylibra.....	73	VASCEPA.....	63
TREANDA.....	23	tri-vylibra lo.....	73	VECTIBIX	24
TRECTOR.....	38	TROGARZO	47	VELCADE	24
TRELEGY ELLIPTA	109	TROKENDI XR.....	28	velivet triphasic regimen (28).	73
TRELSTAR.....	23	TROPHAMINE 10 %	55	VELPHORO.....	86
TREMFYA.....	74			VELTASSA.....	85

VEMLIDY	47	VPRIV	79	YONSA	25
VENCLEXTA	24	VRAYLAR.....	45	yuvafem	88
VENCLEXTA STARTING		vyfemla (28)	73	Z	
PACK	24	vylibra.....	73	zafirlukast	108
venlafaxine	30, 31	VYNDAMAX	60	zaleplon.....	111
verapamil.....	59, 60	VYNDAQEL.....	60	ZALTRAP	25
VEREGEN	74	VYXEOS.....	24	zarah	73
VERSACLOZ	44	W		ZARXIO.....	52
VERZENIO.....	24	warfarin	50	zebutal.....	6
vestura (28).....	73	water for irrigation, sterile....	100	ZEJULA	25
VIBERZI	85	WELCHOL	63	ZELBORAF	25
vicodin.....	5	wera (28).....	73	zenatane	74
vicodin es.....	5	wixela inhub	108	zenchent (28)	73
vicodin hp.....	5	X		ZENPEP	79
VICTOZA	33	XADAGO.....	41	ZEPATIER	48
VIDEX 2 GRAM PEDIATRIC		XALKORI.....	24	ZERIT.....	47
.....	47	XARELTO	50	zidovudine	48
VIDEX EC	47	XATMEP.....	24	ZIOPTAN (PF).....	104
VIEKIRA PAK	48	XELJANZ	96	ziprasidone hcl.....	45
VIEKIRA XR.....	48	XELJANZ XR.....	96	ZIRGAN	81
vienva	73	XELPROS	104	ZOHYDRO ER	6
vigabatrin.....	28	XERMELO.....	85	ZOLADEX	25
vigadrone.....	28	XGEVA	101	zoledronic acid.....	101
VIIBRYD	31	XHANCE	83	zoledronic acid-mannitol-water	
VIMIZIM	79	XIFAXAN.....	11	101
VIMOVO	7	XIIDRA.....	83	zoledronic ac-mannitol-0.9nacl	
VIMPAT.....	28	XOFLUZA	48	101
vinblastine	24	XOLAIR.....	110	ZOLINZA.....	25
vincasar pfs.....	24	XOSPATA.....	24	zolmitriptan.....	38
vincristine.....	24	XPOVIO.....	24, 25	zolpidem	111
vinorelbine.....	24	XTAMPZA ER.....	5	ZOMACTON	91
viorele (28)	73	XTANDI.....	25	ZOMETA	102
VIRACEPT	47	xulane	73	zonisamide.....	28
VIRAMUNE	47	XULTOPHY 100/3.6	34	ZORBTIVE	91
VIREAD.....	47	XURIDEN	103	ZORTRESS	96
VISTOGARD.....	103	xylon 10.....	5	ZOSTAVAX (PF)	99
VITRAKVI.....	24	XYOSTED	87	zovia 1/35e (28).....	73
VIZIMPRO.....	24	XYREM.....	111	zovia 1/50e (28).....	73
VOLTAREN	7	Y		ZTLIDO.....	7
voriconazole	36	YERVOY	25	ZUBSOLV.....	8
VOSEVI.....	48	YF-VAX (PF).....	99	ZULRESSO	31
VOTRIENT	24	YONDELIS	25	zumandimine (28).....	73

ZYDELIG.....25
ZYKADIA.....25

ZYLET81
ZYPREXA RELPREVV45

ZYTIGA25

This formulary was updated on 11/19/2019. For more recent information or other questions, please contact CoxHealth Medicare*Plus* Customer Service at 1-866-597-9560 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m. You may reach a messaging service on weekends and holidays from April 1 through September 30. Please leave a message, and your call will be returned the next business day, or visit www.coxhealthmedicareplus.com.

**13900 Riverport Drive
Maryland Heights, MO 63043
www.coxhealthmedicareplus.com**

**Toll-free: 1-866-597-9560
TTY users dial: 711**

**8 a.m. to 8 p.m., seven days
a week**